

Start Your Smart Life



A WORLD-CLASS BRAND

JOMOO is a leading brand of kitchen and bathroom that integrates R&D, manufacture, sales and service. Today, JOMOO has entered more than 120 countries, and gained the attention of many authoritative design awards.

By adhering to the concept of "Start Your Smart Life" and taking innovation as the driving force, JOMOO has built a long-term cooperation with the world-known technology companies and prestigious European design studios, to offer consumers integrated kitchen & bathroom solutions and create a smart & healthy lifestyle.



GLOBAL PRESENCE

120+ COUNTRIES / REGIONS
5,000+ HIGH-END SHOWROOMS
200,000+ SALES OUTLETS



GLOBAL DELIVERY


INTERNATIONAL WAREHOUSE
GLOBAL SUPPLY CHAIN




INTELLIGENT FACTORY

ADVANCED INTELLIGENT ROBOTIC DEVICE

Integrating global superior resources, JOMOO sets up advanced manufacturing processes. To provide products in high-quality, JOMOO applies leading precision manufacturing technologies from Germany, Italy, Japan, Spain, etc., and automatic production line of our own R&D.



JOMOO cooperates with the well-known Ingenieurburo Lammers GmbH Planning team and Siemens Automation & Information Design team; establishes a lifelong strategic partnership with Dorst Germany to build the production lines of informatization, automation and intelligence.



INNOVATION NEVER STOPS




Innovation is always at the heart of strategy in JOMOO. We invest more than 5% of sales revenue in research and development yearly and have been awarded numbers of global leading design awards.

Such achievements are supported by our R&D capabilities. We own 30 research institutes, 60+ transformation centers, European Operations Center and North American Operations Center, more than 5000 patents and a team of over 2000 professionals.



MARVELOUS DESIGN

JOMOO is a member of the German Design Council, and a winner of many world-leading authoritative design awards. Depending on extraordinary quality and world's leading design concept, JOMOO has won **39** iF Design Awards, **21** Red Dot Design Awards, **5** German Design Awards, **3** Good Design Awards, **2** German Innovation Awards, **2** German ICONIC Awards, etc.




POWERFUL PARTNERSHIP

COLLECT GLOBAL TOP RESOURCES TO MOTIVATE CROSSOVER INNOVATION

We have integrated the most advanced resources including products, design, technology, marketing and management and built long-term strategic partnerships with top class global teams, like Siemens, IBM, Huawei, Giugiaro Design, Porsche Design, etc.




STRATEGIC PARTNERS




JOMOO GLOBAL PROJECTS

JOMOO is the exclusive sanitary ware supplier of Beijing National Stadium (the "Bird's Nest") and the supplier of Beijing Daxing International Airport. Nowadays, JOMOO has cooperated with more than 10,000 construction projects all around the world, including international five-star hotels, tourist resorts, international competition venues, and global landmarks.





PAOLO CESARETTI



DIRK SCHUMANN



KLAUS HELD



DANIEL DIRKS



MATTHIAS LEHNER



JOHANN DÜCK



YUNWEI ZHU



JOMOO x GIUGIARO DESIGN

Since 2012, JOMOO has been collaborating intensively with the world-famous Italian design consultancy, Giugiaro Design, which is one of the world's leading companies in the Industrial and Transport Design sectors.

JOMOO GIUGIARO INTELLIGENT TOILET

JOMOO Giugiaro Intelligent Toilet integrates the shape of super automobile into its outstanding streamlined profile, combining technology and aesthetics to perfection. With dipole filter function, it becomes a global pioneer of germfree healthy cleaning.





JOMOO × DIRK SCHUMANN


Dirk Schumann is a famous German designer, and also the founder of Schumann Design and a member of the Red Dot Award Jury since 2006. He has won many international design awards. Schumann Design has been working since 1992 in the field of strategic design consultancy and product design in many areas.

JOMOO SAILING SUITE

Designed by Dirk Schumann, the SAILING series is driven by a maritime spirit – like the shape of a sail floating in the sea and reflecting the attitude of freedom and lightness. The SAILING Urinal won Red Dot 2018: Best of the Best and iF Design Award 2018 Winner with its sail-like distinguished shape and environment-friendly features, and the Sailing Basin got German Design Award 2019 Winner.

EXCEPTIONAL JOMOO M5 SUITE

Designed by German Phoenix Design, M5 is an artwork that is exceptional in both design and production. Its hand-tailor process connects the past and future. Adhering to the aesthetics in interior design, M5 presents the superb bathroom, enhancing user's experience.



JOMOO × PHOENIX DESIGN

Founded in 1987, Phoenix Design has been defending the No.1 rank at the iF Ranking Creative at iF Design Award as the best external Design Offices, and has won more than 750 design awards on several design contests. Phoenix Design is regarded as the leading independent product and interface design studio in the world.





JOMOO x PAL DESIGN GROUP

PAL Design Group is an award-winning interior design consultant established in 1994, offering complete professional design services for all categories of large-scale interior projects.


JOMOO SHOWROOM V5.0

JOMOO Showroom V5.0, designed by the world's top design institution — PAL Design Group, creates a new visual and functional experience. PAL Design Group applies a log style combined with water ripples, grid, and vintage furniture, capturing an elegant, minimalist, and fashionable JOMOO space.



JOMOO'S STAND AT KBC 2018

JOMOO's stand at KBC 2018 was designed by Paolo Cesaretti. He introduces 3 natural colors and redefines them with JOMOO's concepts: Green for health; Light Blue for simple; and Light Purple standing for smart and future. The shape of each element follows natural factor like the water drop, rain, bamboo, or crystal... When these design ideas meet JOMOO's intelligent and hygienic products, a natural hi-tech space shows up.



JOMOO x PAOLO CESARETTI

Paolo Cesaretti is a famous Italian architect, design consultant and creative director exploring the concept of designed space as the device for delivering information and experience.

CONTENTS

- SUITE / 022
- INTELLIGENT TOILET / 038
- CERAMIC / 049
- CABINET / 064
- SHOWER ROOM / 078
- BATHTUB / 098
- COMMERCIAL USE / 106
- HARDWARE / 124
- APPENDIX (TECHNOLOGIES) / 230



I SUITE



WALTZ

M3H11-3A01-JMW

Fan-shape shower room

Standard Configuration: 900*900*1900mm



Customization specification:

≤(800~1500)*(800~1500)*2000mm



11160-2-2/31Z-1

One-piece toilet

Standard Configuration: 700*415*680mm

S-Trap
Rough-in: 305mm



3666-495/1C2-I011

Shower

Center distance of water inlet: 150mm
External thread: G1/2B
Diameter of decorative cover: φ60mm



Y028217-1A01-1

Waist-shaped bathtub

Standard Configuration: 1700*800*600mm



A2264-1480-1

Floor-stand bathroom cabinet

Standard Configuration: 800*520*1850mm



32336-495/1B-I01Z

Basin mixer

Total height: 201.5mm
Height of outlet hole: 115mm
Distance from water outlet center to body: 105mm



91084-1B-1

Pop-up drainer

Diameter of pipe: Φ68mm
Total length of pipe: 190mm



935412-1B-I011

Towel shelf

630*240*140mm
Material: stainless steel



935408-1B-I011

Single bar

635*90*65mm
Material: stainless steel



935407-1B-I011

Tissue holder

135*80*165mm
Material: stainless steel



935411-1B-I011

Stainless steel toilet brush holder

135*135*320mm
Material: stainless steel





INCEPTION

M6881-3A01-JMG


Shower room

Standard Configuration: 1200*800*1900mm



Customization specification:

≤(1200~1600)*(800~1200)*2000mm



11195-2-2/31M-1

One-piece toilet

Standard Configuration:
710*385*780mm

S-Trap
Rough-in: 305mm



36437-477/1B-I011

Shower

Distance from inlet to mounting base: 776mm
Distance from inlet to the top: 950-1250mm
Distance from inlet to the showerhead: 800-1100mm
Diameter of the showerhead: 200*200mm
Diameter of the handshower: 115*115 mm



Y037217-1A01-1

Bathtub

Standard Configuration:
1700*850*600mm



A2247-117S-1

Wall-hung bathroom cabinet

Standard Configuration:
800x550x1900mm



32311-477/1B-I011

Basin mixer

Total height: 251mm
Height of outlet hole: 190mm
Distance from water outlet center to body: 152mm



91169-1B-1

POP-UP drainer


Diameter of pipe: Φ32mm
Total length of pipe: 180mm



932008-1B-I011

Single bar

595*62.5*30mm
Material: zink alloy



932007-1B-I011

Tissue holder

145*62.5*30mm
Material: zink alloy



932011-1B-I011

Stainless steel toilet brush holder

120*144*340mm
Material: zink alloy





ORNELLA

M1H51-0A01-JMW

Shower room

Standard Configuration: 1400*1900mm



Customization specification:

≤(1150*1600)*2000mm



11168-2-2/31Z-2

One-piece toilet

Standard Configuration:
735*400*755mm
S-Trap
Rough-in: 305mm



36385-434/1B-1

Shower

Denter distance of water inlet: 150mm
Distance between inlet and shower faceplate: 830-1130mm
Distance between wall and shower: 781mm



32299-123/1B-Z

Basin mixer

Total height: 265mm
Height of outlet hole: 227mm
Distance from water outlet center to body: 122mm



A2260-149J-1

Wall-hung bathroom cabinet

Standard Configuration:
800×520×1900mm



933608-1D-I011

Single bar

Standard Configuration:
624*69*50mm
Material: stainless steel



91084-1B-1

POP-UP drainer

Diameter of pipe: Ø68mm
Total length of pipe: 190mm



933611-1D-I011

Toilet brush holder

146*119*355mm
Material: stainless steel



933612-1D-I011

Towel shelf

Standard Configuration:
609*228*139mm
Material: stainless steel



933607-1D-I011

Tissue holder

150*61*130mm
Material: stainless steel






EIFFEL

M7A61-4F01-JMO

Shower room

Standard Configuration: 1000*1000*2000mm



Customization specification:


≤(800~1500)*(800~1500)*2000mm



Z1D7980S-S0-IDO305

Smart toilet

Standard Configuration:
750*432*575mm
S-Trap
Rough-in: 305mm



36509-122/DB-1

Shower

Center distance of water inlet: 150mm
Diameter of decorative cover: 60mm
Vertical distance between water inlet and the top: 950-1250mm
Distance between inlet and shower faceplate: 800-1100mm
Distance between wall and shower: 445mm



32334-772/DB-Z

Basin mixer

Total height: 178mm
Height of outlet hole: 88mm
Distance from water outlet center to body: 129mm



A1248-112V-1

Floor-stand bathroom cabinet

Standard Configuration:
800*500*1840mm



935008-PB-1

Single bar

522~700*99.5*90mm



935012-PB-1

Towel shelf

522~700*120*226mm



91084-3C-1

POP-UP drainer

Diameter of pipe: Ø32mm
Total length of pipe: 180mm



935007-PB-1

Tissue holder

180*92*120mm



935011-PB-1

Toilet brush holder

99*148*335mm






HARP

M1381-3M01-JMO


Shower room

Standard Configuration: 1400*2000mm



Customization specification:

≤(1200~1600)*(800~1000)*2200mm



Z1D6800-S2-CJM305

Smart toilet

Standard Configuration:
730*407*486mm
S-Trap
Rough-in: 305mm



36295-272/2B1-1

Shower

Center distance of water inlet: 150mm
Vertical distance between water inlet and the top: 950-1250mm
Distance between inlet and shower faceplate: 800-110mm
Distance between wall and shower: 450mm



32257-272/2B-Z

Basin mixer

Total height: 273mm
Height of outlet hole: 190mm
Distance from water outlet center to body: 135mm



A1246-011K-2

Wall-hung bathroom cabinet

Standard Configuration:
1000*600*1900mm



937808-42C-1

Single bar

646*56*75mm
Material: stainless steel



937812-42C-1

Towel shelf

646*214*103mm
Material: stainless steel



937807-42C-1

Tissue holder

102*170*75mm
Material: stainless steel



91084-CB-1

POP-UP drainer

Diameter of pipe: Φ32mm
Total length of pipe: 180mm



937811-42C-1




Stainless steel toilet brush holder





160*117*346mm







| **Intelligent Toilet**



Product model		Z1D7610-SA-IDO305	Z1D6800-S2-CJM305	Z1D7660-SA-IDO305
Picture				
Color		Champagne	Champagne	White
Shifter		305/400 Optional	305/400 Optional	305/400 Optional
Size	Length	666	730	670
	Width	407	407	407
	Height	504	486	515
	Function	•with		
F u n c t i o n	Voice & gesture control			
	APP control			
	Side fixed control			
	Remote Control	•		•
	Magnetic wireless charging			
	Hip wash	•	•	•
	Bidet	•	•	•
	Hip nursing			
	Female nursing			
	Mixed air washing	•	•	•
	Warm air	•	•	•
	Auto deodorization	•	•(catalyst)	
	Oscillating wash			
	Seat heating			
	Seat sensor			
	Anti-microbial Seat		•	
	Nozzle anti-microbial	•	•	•
	Nozzle self-cleaning	•	•	•
	Nozzle washable	•	•	•
	Quietly soft-close cover	•	•	•
	Smart power saving	•		•
	Soft night lighting	-5-gear	•(photosensitive)	-5-gear
	Automatic flip			
	Remote flip			
	Foot-induction flip			
	Auto flushing	•	•	•
	Nozzle position adjustment	5-gear	5-gear	5-gear
	Water temperature adjustment	5-gear	5-gear	5-gear
	Air temperature adjustment	3-gear	3-gear	3-gear
	Seat temperature adjustment	5-gear	5-gear	5-gear
	Water-pressure adjustment	5-gear	5-gear	5-gear
	72H automatic water change			
Filter	•	•	•	
Heating method	Instant heating	Instant heating	Instant heating	
Seat cover material	pp	PP	pp	
Spray lance material	Stainless steel	Stainless steel	Stainless steel	
Spray head material	ABS	ABS	ABS	
Music play				
Negative ion purification				
Electrolysed antibacterial water				
Ultraviolet disinfection	•	•		
Pre-wet technology		•		
The 2nd Generation Self-cleaning Glaze	•	•	•	
One button auto operation	•	•	•	
Water consumption	6L	4.2/6L	6L	
Water efficiency rating	2nd	2nd	2nd	
Plug	CN plug	CN plug	CN plug	

Product model		Z1D1813-S0-IDO1	Z1D1816J-S0-CJM1	Z1D1016D-S0-IDO1	Z1D1026D-S0-IDO1
Picture					
Color		Chrome	Chrome	White	White
Size	Length	520	520	533	533
	Width	456	468	459	459
	Height	128	128	143	143
Function		•with			
F u n c t i o n	BlueMaemo				
	Side fixed control	•	•	•	•
	Remote control				
	Hip wash	•	•	•	•
	Bidet	•	•	•	•
	Mixed air washing	•	•	•	•
	Warm air	•	•	•	•
	Auto deodorization	•			
	Oscillating wash	•	•		
	Seat heating	•	•	•	•
	Seat sensor	•			
	Anti-microbial Seat	•	•		
	Nozzle anti-microbial	•	•	•	•
	Nozzle self-cleaning	•	•	•	•
	Nozzle washable	•	•	•	•
	Quietly soft-close cover	•	•	•	•
	Smart power saving	•	•	•	•
	Soft night lighting	•(photosensitive)	•	•	•
	Nozzle position adjustment	5-gear	5-gear	5-gear	5-gear
	Water temperature adjustment	5-gear	5-gear	5-gear	5-gear
	Air temperature adjustment	3-gear	3-gear	3-gear	3-gear
	Seat temperature adjustment	5-gear	5-gear	5-gear	5-gear
	Water-pressure adjustment	5-gear	5-gear	5-gear	5-gear
	72H automatic water change		•	•	•
	Filter	•	•	•	•
	Heating method	Thermal storage	Instant heating	Thermal storage	Thermal storage
	Seat cover material	UF	UF	UF	UF
	Spray lance material	ABS	Stainless steel	ABS	ABS
	Spray head material	ABS	ABS	ABS	ABS
	Music play				
	Negative ion purification				
	Electrolysed antibacterial water				
Ultraviolet disinfection					
Pre-wet technology					
One button auto operation	•	•	•	•	
Plug	CN plug	CN plug	CN plug	CN plug	





Z1D6800-S2-CJM305

Intelligence toilet
Standard Configuration:
730*407*486mm
S-Trap
Rough-in: 305mm





Z1D1816J-S0-CJM1

Intelligence toilet cover
Standard Configuration:
520*468*128mm





Z1D7660-SA-IDO305

Intelligence toilet
670*407*515mm
S-Trap
Rough-in: 305mm





Z1D1813-S0-IDO1

Intelligence toilet cover
520*468*128mm





Z1D7610-SA-IDO305

Intelligence toilet
666*407*498mm
S-Trap
Rough-in: 305mm



Z1D1026D-S0-IDO1

Intelligence toilet cover
533*459*143mm




Z1D1016D-S0-IDO1

Intelligence toilet cover
533*459*143mm









| Ceramic





11213-2-1/31Z-I011
 One-piece toilet with non-electric Bidet Seat
 Standard Configuration:
 700*385*720mm
 S-Trap
 Rough-in: 305mm





11213-2-1/51Z-I011
 One-piece toilet with non-electric Bidet Seat
 Standard Configuration:
 700*385*720mm
 S-Trap
 Rough-in: 250mm



11213-2-1/31Z-I041
 One-piece toilet
 Standard Configuration:
 700*385*720mm
 S-Trap
 Rough-in: 305mm




11213-2-1/51Z-I041
 One-piece toilet
 Standard Configuration:
 700*385*720mm
 S-Trap
 Rough-in: 250mm




11213-2-1/11Z-I011
 One-piece toilet
 Standard Configuration:
 700*385*720mm
 P-Trap
 Rough-in: 180mm






11160-2-2/31Z-1

One-piece toilet
 Standard Configuration:
 700*415*680mm
 S-Trap
 Rough-in: 305mm




11168-2-2/31Z-2

One-piece toilet
 Standard Configuration:
 720*400*755mm
 S-Trap
 Rough-in: 305mm




11160-2-2/11Z-1

One-piece toilet
 Standard Configuration:
 700*415*680mm
 P-Trap
 Rough-in: 180mm




11159-2-2/31S-I011

One-piece toilet
 Standard Configuration:
 755*440*640mm
 S-Trap
 Rough-in: 305mm




1166-2-1/31Z-I011

One-piece toilet
 Standard Configuration:
 675*365*680mm
 S-Trap
 Rough-in: 305mm




11211-2-2/31Z-I011

One-piece toilet
 Standard Configuration:
 710*375*764mm
 S-Trap
 Rough-in: 305mm



11195-2-2/31M-1


One-piece toilet
 Standard Configuration:
 710*385*775mm
 S-Trap
 Rough-in: 305mm



11190-2-2/31Z-2


One-piece toilet
 Standard Configuration:
 725*415*705mm
 S-Trap
 Rough-in: 305mm






11229-2-2/31Z-1

One-piece toilet
 Standard Configuration:
 730*467*725mm
 S-Trap
 Rough-in: 305mm




11215-2-1-31Z-I011

One-piece toilet
 Standard Configuration:
 690*360*681mm
 S-Trap
 Rough-in: 305mm



11299-2-1/31P-I011


One-piece toilet
 Standard Configuration:
 700*380*745mm
 S-Trap
 Rough-in: 305mm



11158-2-1/11Z-I011


Two-piece toilet
 Standard Configuration:
 713*397*788mm
 P-Trap
 Rough-in: 180mm






12521-1/01M-1

Artistic basin
Standard Configuration :
375*360*112mm




12522-1/01M-1

Artistic basin
Standard Configuration :
415*415*125 mm




12133-1/01Z-1

Artistic basin
Standard Configuration :
600*385*195mm



12238-1/11Z-I011


Artistic basin
Standard Configuration :
570*455*200mm



12132-1/01Z-I011


Artistic basin
Standard Configuration :
545*390*178mm






12136-1/11Z-1

Artistic basin
Standard Configuration:
500*430*206mm




12141-1/11Z-1

Above counter basin
Standard Configuration:
600*500*217mm




12135-1/01Z-1

Artistic basin
Standard Configuration:
445*445*200mm




12409-1/11Z-I011

Above counter basin
Standard Configuration:
600*480*175mm




12161-1/01P-I011

Artistic basin
Standard Configuration:
480*370*135mm




12138-1/01Z-I011

Above counter basin
Standard Configuration:
595*380*200mm



12482-1/11M-1


Above counter basin
Standard Configuration:
688*475*195mm



12142-1/01Z-1


Above counter basin
Standard Configuration:
600*380*190mm






12140-1/01Z-1

Above counter basin
Standard Configuration:
455*455*196mm




1293-1/01Z-I011

Under counter basin
Standard Configuration:
560*430*200mm




1267-1/11Z-I011

Above counter basin
Standard Configuration:
678*474*214mm




12145-1/01Z-I011

Under counter basin
Standard Configuration:
560*420*215mm




12153-1/11Z-1

Above counter basin
Standard Configuration:
550*460*205mm




1268-1/01Z-1

Under counter basin
Standard Configuration:
535*410*185mm




12115-1/01P-1


Under counter basin
Standard Configuration:
530*360*210mm




12529-1/01Z-1
Under counter basin
Standard Configuration:
455*375*210mm




12444-1/01Z-1
Under counter basin
Standard Configuration:
495*420*205mm




1296-1/01Z-I011
Under counter basin
Standard Configuration:
435*510*185mm




12475-1/11P-I011
Wall-hung basin
Standard Configuration:
450*393*185mm




12146-1/01Z-I011
Under counter basin
Standard Configuration:
450*450*190mm



12103-1/11P-I011
Pedestal basin
Standard Configuration:
510*435*800mm



1296-1/01Z-1
Under counter basin
Standard Configuration:
510*435*185mm




12489-1/11P-I011
Pedestal basin
Standard Configuration:
463*379*805mm







| Cabinet




A2264-1480-1
 Floor-standing bathroom cabinet
 Standard Configuration:
 800*520*1850mm




A1248-112V-1
 Floor-standing bathroom cabinet
 Standard Configuration:
 800*500*1840mm




A2247-117S-1
 Wall-hung bathroom cabinet
 Standard Configuration:
 800*550*1900mm



A1246-011K-2
 Floor-standing bathroom cabinet
 Standard Configuration:
 1000*600*1900mm




A2260-149J-1
 Wall-hung bathroom cabinet
 Standard Configuration:
 800*520*1900mm



A1181-011B-2
 Floor-standing bathroom cabinet
 Standard Configuration:
 1000*520*1950mm





A1218-122V-00001
Floor-standing bathroom cabinet
 Standard Configuration:
 825*465*1850mm

AG1218-122V-1
 Side cabinet next to main cabinet:
 435*145*608mm

AB1218-122V-1
 Main cabinet:780*455*780mm



AC1218-122V-1
 Makeup mirror:700*142*700mm

AS1218-112V-1
 Side cabinet without door:250*120*700mm


AS1218-122V-1
 Side cabinet with door:250*140*700mm

AH1218-122V-1
 Toilet cabinet:600*140*700mm

12234-1/11Z-1
 Integrated basin:605*465*240mm



A2211-125A-1
Wall-hung bathroom cabinet
 Standard Configuration:
 605*465*1850mm




A1189-011A-1
Floor-standing bathroom cabinet
 Standard Configuration:
 1200*530*1900mm


AC1189-011A-1
 Makeup mirror:1100*140*700mm

AB1189-011A-1
 Main cabinet:1148*460*740mm

12445-1/21Z-1
 Integrated basin:1200*530*245mm



A2211-115A-1
Wall-hung bathroom cabinet
 Standard Configuration:
 825*465*1850mm




A1175-011A-2
Floor-standing bathroom cabinet
 Standard Configuration:
 1000*540*1850mm

AC1175-011A-2
 Makeup mirror:900*160*650mm


AB1175-011A-2
 Main cabinet:954*463*781mm

12457-1/11Z-1
 Integrated basin:1000*540*235mm






A1215-011A-1
Floor-standing bathroom cabinet
Standard Configuration:
800*500*1870mm




A1218-112V-1
Floor-standing bathroom cabinet
Standard Configuration:
605*465*1850mm

- AC1218-112V-1**
Makeup mirror: 500*142*700mm
- AB1218-112V-1**
Main cabinet: 580*460*780mm
- 12228-1/11Z-1**
Integrated basin: 605*465*240mm




A1215-021A-1
Floor-standing bathroom cabinet
Standard Configuration:
1000*500*1870mm




A1218-122V-1
Floor-standing bathroom cabinet
Standard Configuration:
825*465*1850mm

- AC1218-122V-1**
Makeup mirror: 700*142*700mm
- AB1218-122V-1**
Main cabinet: 780*455*780 mm
- 12234-1/11Z-1**
Integrated basin: 825*465*235mm




A1215-021A-2
Floor-standing bathroom cabinet
Standard Configuration:
1000*500*1870mm



A1218-132V-1
Floor-standing bathroom cabinet
Standard Configuration:
1000*520*1850mm

- AC1218-132V-1**
Makeup mirror: 900*142*700mm
- AB1218-132V-1**
Main cabinet: 976*500*780mm
- 12229-1/11Z-1**
Integrated basin: 1000*520*244mm



A1128-011A-I011


Floor-standing bathroom cabinet
Standard Configuration:
800*500*1900mm

AM1128-011A-I011
Makeup mirror: 500*120*830mm

AB1128-011A-I011
Main cabinet: 770*485*812mm


AS1128-011A-I011
Side cabinet: 220*120*780mm

12147-1/11Z-I011
Integrated basin: 800*500*237mm



A2098-313C-1

Wall-hung bathroom cabinet
Standard Configuration:
900*510*1900mm



A1128-311A-I011


Floor-standing bathroom cabinet
Standard Configuration:
800*500*1900mm

AM1128-011A-I011
Makeup mirror: 500*120*830mm

AB1128-311A-I011
Main cabinet: 770*485*812mm



AS1128-311A-I011
Side cabinet: 220*120*780mm

12147-1/11Z-I011
Integrated basin: 800*500*237mm



A2234-112T-1

Wall-hung bathroom cabinet
Standard Configuration:
800*520*1850mm



A1128-321A-I011

Floor-standing bathroom cabinet
Standard Configuration:
800*500*1900mm


AM1128-011A-I011
Makeup mirror: 500*120*830mm

AB1128-321A-I011
Main cabinet: 770*485*812mm

AS1128-321A-I011
Side cabinet: 220*120*780mm


12147-1/11Z-I011
Integrated basin: 800*500*237mm






A1160-311A-1
Floor-standing bathroom cabinet
 Standard Configuration:
 910*520*1900mm

- AC1160-311A-1**
 Makeup mirror: 800*155*750mm
- AB1160-311A-1**
 Main cabinet: 890*422*774mm
- 12232-1/11Z-1**
 Integrated basin: 910*520*237mm




A1202-311A-1
Floor-standing bathroom cabinet
 Standard Configuration:
 700*530*1900mm

- AC2197-311A-1**
 Makeup mirror: 680*155*750mm
- AB1202-311A-1**
 Main cabinet: 685*422*768mm
- 12231-1/11Z-1**
 Integrated basin: 700*530*235mm





A1160-312J-1
Floor-standing bathroom cabinet
 Standard Configuration:
 910*520*1900mm

- AC1160-312J-1**
 Makeup mirror: 800*155*750mm
- AB1160-312J-1**
 Main cabinet: 890*422*774mm
- 12232-1/11Z-1**
 Integrated basin: 910*520*237mm




A1202-312J-1
Floor-standing bathroom cabinet
 Standard Configuration:
 700*530*1900mm

- AC2197-312J-1**
 Makeup mirror: 680*155*750mm
- AB1202-312J-1**
 Main cabinet: 685*422*768mm
- 12231-1/11Z-1**
 Integrated basin: 700*530*235mm



A1160-315N-1
Floor-standing bathroom cabinet
 Standard Configuration:
 910*520*1900mm

- AC1160-315N-1**
 Makeup mirror: 800*155*750mm
- AB1160-315N-1**
 Main cabinet: 890*422*774mm
- 12232-1/11Z-1**
 Integrated basin: 910*520*237mm



A1202-315N-1
Floor-standing bathroom cabinet
 Standard Configuration:
 700*530*1900mm

- AC2197-315N-1**
 Makeup mirror: 680*155*750mm
- AB1202-315N-1**
 Main cabinet: 685*422*768mm
- 12231-1/11Z-1**
 Integrated basin: 700*530*235mm







A2193-317H-1

Wall-hung bathroom cabinet
Standard Configuration:
825*465*1850mm

AM2193-317H-1
Makeup mirror: 690*120*750mm

AB2193-317H-1
Main cabinet: 780*445*480mm

12234-1/11Z-1
Integrated basin: 825*465*235mm




A2193-337H-1

Wall-hung bathroom cabinet
Standard Configuration:
1000*500*1850mm

AM2193-337H-1
Makeup mirror: 900*120*750mm

AB2193-337H-1
Main cabinet: 976*500*480mm

12229-1/11Z-1
Integrated basin: 1000*520*244mm




A2156-321A-I011

Wall-hung bathroom cabinet
Standard Configuration:
600*480*1850mm

AM2156-321A-I011
Makeup mirror: 500*120*700mm

AB2156-321A-I011
Main cabinet: 580*450*450mm

12228-1/11Z-I011
Integrated basin: 605*465*240mm




A2193-327H-1

Wall-hung bathroom cabinet
Standard Configuration:
605*465*1900mm

AC2193-327H-1
Makeup mirror: 500*140*750mm

AB2193-327H-1
Main cabinet: 580*450*480mm

12228-1/11Z-1
Integrated basin: 605*465*240mm



A2155-311A-3

Wall-hung bathroom cabinet
Standard Configuration:
825*467*1900mm

AM2155-311A-2
Makeup mirror: 500*120*700mm

AB2155-311A-3
Main cabinet: 780*445*480mm

AS2155-311A-2
Side cabinet: 250*140*700mm



12234-1/11Z-1
Integrated basin: 825*465*235mm



| Shower Room




Shapes of Shower Room



Size of Handles


Above handles are only for reference, the handle lists are subject to non-standard illustrated catalogue.




Colors of frame



Colors of Glass



Thickness of Glass




Customized

Meet the needs of the shower room shape, glass (Coated/ Silk screen/ Nickel plating), size, color and handle, etc.

More details please check concrete information of each series.

StandardsMark






Series 38 M1381-3M01-JMO
Shower screen
1400*2000mm




Standard specification
≤(1200-1600)*2000mm



Series 38 M7382-3M01-JMO
Diamond-shape shower enclosure
1000*1000*2000mm




Standard specification
≤(800-1200)*(800-1200)*2000mm



Series 38 M1382-3M01-JMO
Shower screen
1600*2000mm




Standard specification
≤(1600-2000)*2000mm



Series 38 M7383-3M01-JMO
Diamond-shape shower enclosure
1000*1000*2000mm




Standard specification
≤(800-1200)*(800-1200)*2000mm



Series 38 M6381-3M01-JMO
Square shower enclosure
1200*800*2000mm




Standard specification
≤(1200-1600)*(800-1000)*2000mm



Series 38 M8381-3M01-JMO
Square shower enclosure
1600*800*2000mm




Standard specification
≤(1200-1600)*(800-1000)*2000mm



Series 38 M7381-3M01-JMO
Diamond-shape shower enclosure
1000*1000*2000mm



Standard specification
≤(800-1200)*(800-1200)*2000mm




Series 01 M1011-3A01-JMO
Shower screen
1400*1850mm



Standard specification
6mm: ≤(1200-1600)*1900mm
8mm: ≤(1200-1600)*2000mm







Series 01 M1012-3A01-JMO
Shower screen
1600*1850mm





Standard specification
6mm: $\leq(1500-1800)*1900\text{mm}$
8mm: $\leq(1500-1800)*2000\text{mm}$



Series 01 M2013-3A01-JMO
Arc-shape shower enclosure
900*900*1850mm





Standard specification



Series 01 M1013-3A01-JMO
Shower screen
1600*1850mm




Standard specification
6mm: $\leq(1600-1800)*1900\text{mm}$
8mm: $\leq(1600-1800)*2000\text{mm}$



Series 01 M3011-3A01-JMO
Fan-shape shower enclosure
900*900*1850mm





Standard specification
6mm: $\leq(800-1200)*(800-1200)*1900\text{mm}$
8mm: $\leq(800-1200)*(800-1200)*2000\text{mm}$



Series 01 M1014-3A01-JMO
Shower screen
1600*2250mm




Standard specification
 $\leq(1600-1800)*3000\text{mm}$



Series 01 M4011-3A01-JMO
Fan-shape shower enclosure
1200*900*1850mm




Standard specification
6mm: $\leq(1000-1500)*(800-1200)*1900\text{mm}$
8mm: $\leq(1000-1500)*(800-1200)*2000\text{mm}$



Series 01 M2012-3A01-JMO
Arc-shape shower enclosure
1000*1000*1850mm



Standard specification




Series 01 M6011-3A01-JMO
Square shower enclosure
1200*800*1850mm



Standard specification
6mm: $\leq(1200-1600)*(800-1000)*1900\text{mm}$
8mm: $\leq(1200-1600)*(800-1000)*2000\text{mm}$






Series 21 M1211-3A01-JMO
Shower screen
1400*1900mm




Aluminum border self-cutting
1400-1900mm



Series 21 M1215-3A01-JMO
Shower screen
1500*1900mm




Aluminum border self-cutting
1400-1500mm



Series 21 M1212-3A01-JMO
Square shower enclosure
1600*1900 mm




Aluminum border self-cutting
1500-1600mm



Series 21 M1217-3A01-JMO
Square shower enclosure
1700*1900 mm




Aluminum border self-cutting
1600-1700mm



Series 21 M1213-3A01-JMO
Square shower enclosure
1800*1900 mm



Aluminum border self-cutting
1700-1800mm



Series 21 M1218-3A01-JMO
Shower screen
1800*1900mm




Standard specification



Series 21 M1214-3A01-JMO
Square shower enclosure
2100*1900 mm



Aluminum border self-cutting
1800-2000mm




Series 21 M6211-3A01-JMO
Square shower enclosure
1200*800*1900mm



Standard specification






Series 59 M1591-3A01-JMO
Shower screen
2200*2000mm




Standard specification
≤(2000-3000)*2000mm



Series 59 M1593-3A01-JMO
Shower screen
2000*2000mm



Standard specification



Series 59 M1592-3A01-JMO
Shower screen
1800*2000mm




Standard specification




Stainless steel frame

304 stainless steel frame, better corrosion resistance, high hardness, hard to deform and long service life.



Mute noise


The friction between shower room glass door and the lead rail is small when sided, mutes the noise, and provides you a comfortable shower environment.



Series 04 M1041A-3C01-JMO
Shower screen
1400*1850mm




Standard specification
≤(1200-1600)*1900mm



Series 04 M4041A-3C01-JMO
Fan-shape shower enclosure
120*900R*1850mm




Standard specification
≤(1000-1500)*900*1900mm



Series 04 M1042A-3C01-JMO
Shower screen
1600*1850mm




Standard specification
≤(1600-1800)*1900mm



Series 04 M5041A-3C01-JMO
Square shower enclosure
900*900*1850mm




Standard specification
≤(900-1200)*(900-1200)*1900mm



Series 04 M2041A-3C01-JMO
Arc-shape shower enclosure
1000*1000*1850mm




Standard specification



Series 04 M6041A-3C01-JMO
Square shower enclosure
1200*800*1850mm



Standard specification
≤(1200-1600)*(800-1000)*1900mm




Series 04 M3041A-3C01-JMO
Fan-shape shower enclosure
900*900*1850mm



Standard specification
≤(800-1200)*(800-1200)*1900mm






Series H1
M1H11-3A01-JMW
Shower screen
1400*1900mm




Standard specification
≤(1200-1600)*2000mm



Series H1
M5H11-3A01-JMW
Shower screen
900*900*1900mm




Standard specification
≤(800-1200)*(800-1200)*2000mm



Series H1
M1H12-3A01-JMW
Shower screen
1800*1900mm




Standard specification
≤(1600-2000)*2000mm



Series H1
M6H11-3A01-JMW
Shower screen
1200*800*1900mm




Standard specification
≤(1200-1600)*(800-1000)*2000mm



Series H1
M1H13-3A01-JMW
Shower screen
2000*1900mm



Standard specification
(1600-2000)*2000mm




Series H1
M3H11-3A01-JMW
Shower screen
900*900*1900mm



Standard specification
≤(800-1500)*(800-1500)*2000mm






Series H2 M1H21-3A01-JMO
Shower screen
1400*1900mm




Standard specification
(1150-1600)*2000mm



Series H5 M1H51-3A01-JMO
Shower screen
1400*1900mm




Standard specification
≤(1150-1600)*2000mmmm



Series H2 M1H22-3A01-JMO
Shower screen
1800*2000mm




Standard specification
≤(1600-2500)*2000mm



Series H5 M1H52-3A01-JMO
Shower screen
2000*2000mm





Standard specification
≤(1800-3000)*2000mm



Series H2 M1H23-3A01-JMO
Shower screen
2000*2000mm




Standard specification
≤(1800-3000)*2000mm




Series H5 M1H53-3A01-JMO
Shower screen
1800*2000mm




Standard specification
≤(1600-2500)*2000mm



Series H2 M6H21-3A01-JMO
Shower screen
1200*800*1900mm



Standard specification
≤(1150-1800)*(800-1000)*2000mm




Series H5 M6H51-3A01-JMO
Shower screen
1200*800*1900mm



Standard specification
≤(1150-1800)*(800-1000)*2000mm







Series 88
M1881-3A01-JMG
 Shower screen
 1400*1900mm




Standard specification
 ≤(1200-1600)*2000mm



Series 88
M6881-3A01-JMG
 Shower screen
 1200*800*1900mm





Standard specification
 ≤(1200-1600)*(800-1000)*2000mm



Series 88
M1882-3A01-JMG
 Shower screen
 1800*1900mm




Standard specification
 ≤(1600-1800)*2000mm



Series 88
M3881-3A01-JMG
 Square shower enclosure
 900*900*1900mm



Standard specification
 ≤(800-1200)*(800-1200)*2000mm




Series 88
M5881-3A01-JMG
 Shower screen
 900*900*1900mm



Standard specification
 ≤(2000-3000)*2000mm






Series A6
M1A62-4F01-JMO
 Shower screen
 1400*2000mm

8mm

Standard specification
 ≤(900*1600)*2000mm

8mm




Series 25
M1251-3M06-JMO
 Shower screen
 1600*2200mm

8mm

Standard specification
 ≤(1600-1800)*2200mm

8mm




Series A6
M1A63-4F01-JMO
 Shower screen
 1600*2000mm

8mm

Standard specification
 ≤(1400*2000)*2000mm

8mm




Series 25
M7251-3M06-JMO
 Diamond-shape shower enclosure
 900*900*2200mm

8mm

Standard specification
 ≤(900-1200)*(900-1200)*2200mm

8mm




Series A6
M6A61-4F01-JMO
 Shower screen
 1200*900*2000mm

8mm

Standard specification
 ≤(1000-1600)*(800-1200)*2000mm

8mm




Series 42
M7421-0A01-JMO
 Diamond-shape shower enclosure
 1000*1000*2000mm

8mm

Standard specification

8mm



Series A6
M7A61-4F01-JMO
 Shower room
 1000*1000*2000mm


8mm

Standard specification
 ≤(800-1500)*(800-1500)*2000mm


8mm




| **Bathtub**




Y03310A-1A01-1
 Massage bathtub
 2000*900*620mm




Y064116-1A01-1
 Massage bathtub
 1600*1600*600mm



Y072213-1A01-1
 Free-standing bathtub
 1350*695*780mm




Y035117-2A11-1
 Massage bathtub
 1700*850*600mm




Y035115-2A11-1
 Massage bathtub
 1500*750*600mm







Y037215-1A01-1
Five sets of bathtub
1500*700*600mm




Y037216-1A01-1
Five sets of bathtub
1600*750*600mm




Y037217-1A01-1
Five sets of bathtub
1700*850*600mm




Y028215-1A11-1
Five sets of bathtub
1500*700*600mm



Y028217-1A11-1
Five sets of bathtub
1700*800*600mm




Y041516-1A01-1
Integrated
1600*750*820mm




Y041516-1A03-1
Integrated
1600*750*820mm







Y010405-1A01-1
 Embeded bathtub
 1500*750*450mm




Y010406-1A01-1
 Embeded bathtub
 1600*750*450mm




Y012405-1A01-1
 Embeded bathtub
 1500*750*420mm



Y012407-1A01-1
 Embeded bathtub
 1700*750*420mm



Y001407-1A01-1
 Embeded bathtub
 1700*750*450mm




Y001407-1A01-I011
 Embeded bathtub
 1700*750*450mm






**Commercial
Use**




J13038-1/115-I011
Wall-hung sensor urinal

385*425*840mm
Water inlet: back
P-trap
DC power




J13043-1/31Z-1
Wall-hung sensor urinal

365*365*650mm
Water inlet: back
P-trap
DC power




J13038-2/21S-1
Wall-hung sensor urinal

385*425*840mm
Water inlet: back
S-trap
DC power




13046-0-1Z/51Z-1
Wall-hung urinal

290*350*545mm
Water inlet: top
P-trap/S-trap




J13042-1/41Z-1
Wall-hung sensor urinal

480*365*795mm
Water inlet: back
P-trap
DC power




13037-1/21Z-I011
Floor-standing urinal

400*430*1000mm
Water inlet: top
S-trap



J13042-2/41Z-1
Wall-hung sensor urinal


480*365*795mm
Water inlet: back
S-trap
DC power



13042-1Z/41Z-I011
Floor-standing urinal


480*360*710mm
Water inlet: back
S-trap






13042-2Z/41Z-I011
Wall-hung urinal

480*360*685mm
Water inlet: back
P-trap




13042-1/61Z-1
Wall-hung urinal

480*360*710mm
Water inlet: top
P-trap




13042-2/61Z-1
Wall-hung urinal

480*360*710mm
Water inlet: top
S-trap




13038-1/11Z-1
Wall-hung urinal

395*425*835mm
Water inlet: top
P-trap




13038-2/21Z-1
Wall-hung urinal

395*425*835mm
Water inlet: top
S-trap




13040-2/11Z-1
Wall-hung urinal

390*330*610mm
Water inlet: top
P-trap



13040-1/21Z-1
Wall-hung urinal


390*320*645mm
Water inlet: top
S-trap



1311-1/11Z-I011
Wall-hung urinal


270*360*660mm
Water inlet: top
P-trap






1311-2/11Z-I011
Wall-hung urinal

270*360*660mm
Water inlet: top
S-trap




15020-1/01P-2
Mop basin

430*400*590mm
Drain hole:ø60mm




14099-1/21P-1
Squatting Pan

550*425*265mm
Water inlet: back
Water outlet: front
With S-bend




15025-1/01P-1
Mop basin

445*420*655mm
Drain hole:ø60mm




1446-1/11P-1
Squatting Pan

550*425*165mm
Water inlet: back
Water outlet: front
Without S-bend



15024-1/01P-1
Mop basin

345*345*450mm
Drain hole:ø60mm



1444-1/21P-1
Squatting Pan

575*445*165mm
Water inlet: back
Water outlet: front
Without S-bend




95022-00-1
Low pressure tank

385*125*430mm
Optional top press




95027-01-2
Low pressure tank


385*125*430mm
Optional top press




51E1220-21-CJM1
Sensor basin faucet
175*72*135mm
Temperature-adjustable
DC power



51E1160-11-CJM1
Sensor basin faucet
175*52*135mm
DC power




51E1150-11-CJM1
Sensor basin faucet
156*52*125mm
DC power




51E1210-11-CJM1
Sensor basin faucet
33*340*445mm
DC power






51E1170-11-CJM4
Sensor basin faucet

410*450*260mm
DC power




51E1180-11-CJM1
Sensor basin faucet

φ25*189*348mm
DC power




5121-1B1-2
Sensor basin faucet

φ25*189*268mm
DC power




5122-1B1-3
Sensor basin faucet

φ25*220*74mm
Wall-mounted
DC power




52E2025-11-CJM1
Urinal sensor flushing device

130*130mm
Infrared sensing
Optional sensor/manual
control
DC power




52E2023-11-CJM2
Urinal sensor flushing device

130*130mm
Infrared sensing
DC power



5211-1B1-1
Urinal sensor flushing device


130*130mm
Infrared sensing
DC power




52E2010-12-CJM1
Urinal sensor flushing device

74*64*128mm
Infrared sensing
DC power







5605-00-1
Sensor hand dryer
252*520*190mm
Infrared sensing
AC power



56E6005-30-CJM1
Sensor hand dryer
252*120*85mm
Infrared sensing
AC power




56E6002-30-CJM1
Hair dryer
170*220mm




58E8001-00-CJM1
Soap dispenser
81*70*150.5mm
Wall-mounted
Capacity: 200ml






8228-004/1B-1
Button-press flushing valve

Inlet thread: G1/2




8255-002/1B1-I011
Button-press squatting pan flushing valve

Inlet thread: G3/4
Outlet: match with ϕ 32




8224-004/1B-I011
Button-press flushing valve

Inlet thread: G1/2




8254-003/1B1-I011
Button-press squatting pan flushing valve

Inlet thread: G1
Outlet: match with ϕ 32



8204-002/1B-I011
Button-press squatting pan flushing valve


Inlet thread: G3/4
Outlet: match with: ϕ 32



8207-003/1B-1
Button-press squatting pan flushing valve


Inlet thread: G1
Outlet: match with ϕ 32






8302-003/1B-I011
Level-handle squatting pan flushing valve

Inlet thread: G1
Outlet: match with Φ 32




2902B-1C1-I011
Pedal basin faucet

Height of outlet hole: 147mm
Distance from water outlet center to body: 138mm
Total Height: 163mm




8429-002/1B1-I011
Pedal squatting pan flushing valve

Inlet thread: G3/4
Outlet: match with Φ 32




2902L-1B-1
Pedal flushing valve

Inlet thread: G1/2




8430-003/1B1-I011
Pedal squatting pan flushing valve

Inlet thread: G1
Outlet: match with Φ 32



2908-1B-1
Wall-hung pedal flushing valve

Inlet thread: G1/2



8242-004/1B-I011
Button-press time-lapse basin faucet

Height of outlet hole: 54mm
Distance from water outlet center to body: 115mm
Total Height: 108mm
Inlet thread: G1/2




| Hardware



Colorful PVD

Advanced surface treatment technology makes products elegant. So does the performance.

-  Polished Chrome
-  French Gold
-  Oil-Rubbed Bronze
-  Brushed Nickel




Selected Silicon Brass

Innovation of silicon-brass material makes the lead content lower than the standard of NSF. It is anti-germ and healthy.

1 Million-Times Valve Lifetime



The faucet can use 1 million times, adopting well hardness, outstanding seal-ability, import premium ceramic cartridge.







32163-142/1B1-Z
lavatory faucet

Total height: 196mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 118mm




32164-142/1B1-Z
lavatory faucet

Total height: 269mm
Height of outlet hole: 172mm
Distance from water outlet center to body: 132mm



32165-142/1B1-Z
lavatory faucet


Total height: 356mm
Height of outlet hole: 261mm
Distance from water outlet center to body: 132mm



31012-142/1A-I011
Bidet faucet



Height of outlet hole: 89mm
Distance from water outlet center to body: 135mm
Total height: 197mm







39014-142/1B1-Z
Wall-mounted lavatory faucet

Distance from water outlet center to body: 181mm
Center distance of handle and the water outlet: 132mm




22042-321/1B-Z
Basin mixer

Height of outlet hole: 115mm
Distance from water outlet center to body: 127mm
Installation hole spacing: 200mm
Total height: 206mm




35133-142/1B-I011
Shower mixer

Inlet spacing: 150mm
Distance between wall & outlet: 66mm
External thread: G1/2




35132-142/1B-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from shower outlet to wall: 127mm
Distance from bathtub outlet to wall: 191mm
External thread: G1/2




39018-255/1B-1
4-hole bath & shower mixer

Height of outlet hole: 167mm
Distance from water outlet center to body: 210mm
Total Height: 296mm



38001-255/1B-1
Bathtub faucet


Distance from water outlet center to body: 270mm
Shower distance between shower and outlet: 145mm
Total Height: 1216mm



36174-142/1B1-1
Shower set



Inlet spacing: 150mm
External thread: G1/2
Decorative cover: Φ 60mm
Inlet to the highest point: 980~1280mm
Vertical distance of mounting base: 900-1200mm
Inlet to shower end: 900-1050mm
Shower water wall distance: 458mm







32249-272/1B-Z
Basin faucet

Height of outlet hole: 98mm
Distance from water outlet center to body: 124mm
Total Height: 228mm





32250-272/1B-Z
lavatory faucet

Total height: 400 mm
Height of outlet hole: 270mm
Distance from water outlet center to body: 134mm




32257-272/1B-Z
lavatory faucet

Height of outlet hole: 190mm
Distance from water outlet center to body: 135mm
Total Height: 273mm




35172-272/1B-1
Shower mixer

Inlet spacing: 150mm
Distance between wall & outlet: 60mm
External thread: G1/2





35173-272/1B-1
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from bathtub outlet to wall: 188mm
External thread: G1/2



29038-288/1B-1
5-hole bath & shower mixer


Height of outlet hole: 150mm
Distance from water outlet center to body: 206mm
Distance between handle and tube outlet: 100mm



36295-272/1B1-1
Shower set


Head shower: 9 inches
Hand shower: 5 inches
Inlet spacing: 150±15mm
External thread: G1/2B
Copperhose: straight Ø22mm+bend Ø19mm
Decorative cover: Ø67mm
Inlet to the highest point: 950 ~ 1250mm
Inlet to shower end: 800 ~ 1100mm
Shower water wall distance: 450mm







32216-228/1B1-Z
Basin faucet

Height of outlet hole: 160mm
Distance from water outlet center to body: 130mm
Total Height: 192mm




32215-228/1B1-Z
lavatory faucet

Total height: 312mm
Height of outlet hole: 280mm
Distance from water outlet center to body: 130mm




39013-228/1B1-Z
Wall-mounted lavatory faucet

Distance from water outlet center to body: 172mm
Center distance of handle and the water outlet: 100mm




22031-235/1B1-Z
Basin mixer

Height of outlet hole: 110mm
Distance from water outlet center to body: 132mm
Installation hole spacing: 200mm




35162-228/1B-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from bathtub outlet to wall: 172mm
External thread: G1/2



39016-228/1B-1
4-hole bath & shower mixer


External thread: G1/2
Length of outlet hole: 210mm
Height of outlet hole: 146mm



38002-228/1B-1
Bathtub faucet



Distance from water outlet center to body: 210mm
Height of outlet hole: 1032mm
Shower distance between shower and outlet: 120mm






32336-495/1B-I01Z
Basin faucet

Total height: 202.5mm
Height of outlet hole: 115mm
Distance from water outlet center to body: 105mm




3666-495/1C2-I011
Shower set

Center distance of water inlet: 150mm
External thread: G1/2B
Diameter of decorative cover: 60mm





32337-495/1B-I01Z
Basin faucet

Total height: 313mm
Height of outlet hole: 225mm
Distance from water outlet center to body: 114mm




32312-477/1B-I011
Basin faucet

Height of outlet hole: 102mm
Distance from water outlet center to body: 111mm
Total Height: 163mm




35122-495/1B-I011
Shower mixer

Inlet spacing: 150mm
Distance from wall & outlet: 52mm
External thread: G1/2




32311-477/1B-I011
lavatory faucet

Total height: 251mm
Height of outlet hole: 180mm
Distance from water outlet center to body: 152mm




35123-495/1B-I011
Shower mixer


Center distance of water inlet: 150mm
Distance from wall & outlet: 169mm
External thread: G1/2



36437-477/1B-I011
Shower set


Center distance of water inlet: 150mm
External thread: G1/2B
Vertical distance between water inlet and mounting base: 776mm
Vertical distance between water inlet and the top: 950-1250mm
Vertical distance between inlet and shower: 880-1100mm





35280-477/1B-I011
Shower mixer


Inlet spacing: 150mm
Distance between wall & outlet: 43mm
External thread: G1/2
Diameter of decorative cover: $\phi 60$



35279-477/1B-I011
Bath and shower mixer


Center distance of water inlet: 150mm
Distance from shower outlet to wall: 113mm
Distance from bathtub outlet to wall: 166mm
Diameter of decorative cover: $\phi 60$
External thread: G1/2B






32145-128/1B2-Z
Basin faucet

Height of outlet hole: 90mm
Distance from water outlet center to body: 108mm
Total Height: 160mm




39011-128/1B2-Z
Wall-mounted lavatory faucet

Distance from water outlet center to body: 171mm
Center distance of handle and the water outlet: 132mm




32155-128/1B2-Z
lavatory faucet

Total height: 245 mm
Height of outlet hole: 177mm
Distance from water outlet center to body: 142mm




35120-128/1B-I011
Shower mixer

Inlet spacing: 150mm
Distance between wall & outlet: 51mm
External thread: G1/2




32156-128/1B1-Z
lavatory faucet

Total height: 322 mm
Height of outlet hole: 253mm
Distance from water outlet center to body: 162mm




35121-128/1B-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from shower outlet to wall: 114mm
Distance from bathtub outlet to wall: 167mm
External thread: G1/2



22029-227/1B-Z
Basin mixer


Height of outlet hole: 95mm
Distance from water outlet center to body: 125mm
Installation hole spacing: 200mm



29030-252/1B-1
5-hole bath & shower mixer


Distance from bathtub water outlet to handle: 120mm
Distance from water outlet center to body: 218mm
Height of outlet hole: 105mm
Total Height: 120mm






38003-289/1B-1
Bathtub faucet

External thread: G1/2
Diameter of decorative cover: 126mm
Distance between water outlet center & body: 244mm
Height of bathtub hole: 1032mm
Distance between shower outlet & body: 117mm




32161-139/1B1-Z
lavatory faucet

Total height: 318mm
Height of outlet hole: 259mm
Distance from water outlet center to body: 130mm




36284-081/1B-1
Shower set

Center distance of water inlet: 150
Distance between wall & outlet: 111
External thread: G1/2B
Diameter of installation hole decorative cover: 60X60
Diameter of mounting base decorative cover: 68X68
Inlet to the highest point: 900~1200
Vertical distance of mounting base: 900~1200
Vertical distance between inlet and raincan: 830~1130
Center distance of wall and raincan central point: 493




35130-139/1B-1
Shower mixer

Inlet spacing: 150mm
Distance between wall & outlet: 47.5mm
External thread: G1/2



32159-139/1B1-Z
Basin faucet

Total height: 154mm
Height of outlet hole: 95mm
Distance from water outlet center to body: 106mm
Optional lifting rod drainer




35131-139/1B-1
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from outlet to wall: 151mm
External thread: G1/2



32160-139/1B1-Z
lavatory faucet


Total height: 219mm
Height of outlet hole: 160mm
Distance from water outlet center to body: 130mm



36249-139/1B-1
Shower set


Center distance of water inlet: 150mm
External thread: G1/2B
Vertical distance of mounting base: 771mm
Inlet to the highest point: 900mm~1200mm
Vertical distance between inlet and raincan: 750mm~1050mm
Center distance of wall and raincan central point: 445mm






32142-126/1B1-Z
Basin faucet

Total height: 190mm
Height of outlet hole: 105mm
Distance from water outlet center to body: 112mm




32152-126/1B1-Z
lavatory faucet

Total height: 257mm
Height of outlet hole: 173mm
Distance from water outlet center to body: 112mm




32149-126/1B1-Z
lavatory faucet

Total height: 352mm
Height of outlet hole: 267mm
Distance from water outlet center to body: 112mm




02037-00-I011
Basin mixer+Drainer

Total height: 190mm
Height of outlet hole: 105mm
Distance from water outlet center to body: 112mm




35122-126/1B-1
Shower mixer

Inlet spacing: 150mm
Distance between wall & outlet: 52mm
External thread: G1/2




35123-126/1B-1
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from outlet to wall: 169mm
External thread: G1/2



35152-126/1B-I011
Bath mixer with shower


Center distance of water inlet: 150mm
Distance from bathtub outlet to wall: 169mm
Distance from shower outlet to wall: 120mm
External thread: G1/2
Hose length: 1.5m



36408-126/1B1-1
Shower set


Center distance of water inlet: 150mm
External thread: G1/2B
Diameter of decorative cover: 774mm
Vertical distance between water inlet and the top: 1020-1320mm
Vertical distance between inlet and shower: 880-1180mm






32134-122/1C1-Z
Basin faucet

Total height: 149mm
Height of outlet hole: 76mm
Distance from water outlet center to body: 105mm
With hole for lifting rod




32138-122/1C1-Z
lavatory faucet

Total height: 312.4 mm
Height of outlet hole: 239.4mm
Distance from water outlet center to body: 105mm



32135-122/1C1-Z
Basin mixer


Height of outlet hole: 53mm
Distance from water outlet center to body: 108mm
Installation hole spacing: 102mm
Total height: 123mm



35109-122/1C-1
Shower mixer


Inlet spacing: 150mm
Distance between wall & outlet: 44mm
External thread: G1/2






35107-122/1B-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from outlet to wall: 149mm
External thread: G1/2




32157-147/1C1-Z
lavatory faucet

Total height: 317mm
Height of outlet hole: 238mm
Distance from water outlet center to body: 133mm




36509-122/1B-1
Shower set

Center distance of water inlet: 150mm
External thread: G1/2B
Vertical distance between water inlet and mouting base: 753mm
Vertical distance between water inlet and the top: 950-1250mm
Distance between inlet and shower faceplate: 800-1100mm




32151-147/1C1-Z
lavatory faucet

Total height: 143mm
Height of outlet hole: 63mm
Distance from water outlet center to body: 113mm




32150-147/1C1-Z
Basin faucet

Total height: 172mm
Height of outlet hole: 92mm
Distance from water outlet center to body: 109mm




02036-00-I011
Basin mixer+Drainer

Total height: 172mm
Height of outlet hole: 92mm
Distance from water outlet center to body: 109mm



32162-147/1C1-Z
lavatory faucet


Total height: 265mm
Height of outlet hole: 186mm
Distance from water outlet center to body: 133mm



35127-147/1C-1
Shower mixer


Inlet spacing: 150mm
Distance between wall & outlet: 55.5mm
External thread: G1/2






35128-147/1C-1
Bath and shower mixer

Center distance of water inlet: 150mm
Distance from outlet to wall: 180.5mm
External thread: G1/2




35153-147/1C-I011
Bath mixer with shower

Center distance of water inlet: 150mm
Between wall & bathtub outlet: 118mm
Between wall & shower outlet: 167mm
External thread: G1/2
Hose length: 1.5m




36309-147/1B3-1
Shower set

Center distance of water inlet: 150mm
External thread: G1/2B
Diameter of decorative cover: $\Phi 60$ mm
Vertical distance between water inlet and the top: 950-1250mm
Distance between inlet and shower faceplate: 800-1100mm
Distance between wall and shower: 445mm




32314-484/1C-Z
Basin faucet

Total height: 132mm
Height of outlet hole: 89mm
Distance from water outlet center to body: 66mm




35281-484/1C-1
Bath mixer with shower

Center distance of water inlet: 145mm
between wall & outlet: 47mm
External thread: G1/2B
Decorative cover: $\Phi 60$
Hand shower: 4 Inch




35282-484/1C-1
Bath mixer with shower

Center distance of water inlet: 145mm
External thread: G1/2B
Diameter of decorative cover: $\phi 60$
between wall & shower outlet: 112mm
between wall & bathtub outlet: 146mm
Hand shower: 4 Inch



36411-484/1C-1
Shower set


Center distance of water inlet: 150
External thread: G1/2B
Diameter of decorative cover: $\Phi 60$
Inlet to the highest point: 950-1250mm
Vertical distance of mounting base: 757mm
Vertical distance between inlet and raincan: 800-1100mm
Head shower: 9 inches
Hand shower: 4 inches



36412-484/1C-1
Shower set


Center distance of water inlet: 150mm
External thread: G1/2B
Diameter of decorative cover: $\Phi 60$
Inlet to the highest point: 950-1150mm
Vertical distance between inlet and raincan: 900-1100mm
Head shower: 9 inches
Hand shower: 4 inches






32316-473/1B-I01Z
Basin faucet

Total height: 183mm
Height of outlet hole: 87mm
Distance from water outlet center to body: 122mm




3289-050/1C2-I011
Basin faucet

Total height: 124mm
Height of outlet hole: 54mm
Distance from water outlet center to body: 88mm




35278-473/1B-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance between wall & shower outlet: 119mm
Distance between wall & tub outlet: 166mm
Diameter of decorative cover: 60mm
External thread: G1/2B




3576-050/1C-I011
Shower mixer

Inlet spacing: 145mm
Distance between wall & outlet: 46mm
External thread: G1/2




3274-065/1C-I011
Basin faucet

Total height: 135mm
Height of outlet hole: 58mm
Distance from water outlet center to body: 111mm




3577-050/1C-I011
Bath and shower mixer

Center distance of water inlet : 145mm
Distance from shower outlet to wall: 112mm
Distance from bathtub outlet to wall: 146mm
External thread: G1/2




3571-065/1C-I011
Bath and shower mixer

Center distance of water inlet: 150mm
Distance between wall & shower outlet: 109mm
Distance between wall & tub outlet: 153mm
External thread: G1/2



35168-050/1C-I011
Bath and shower mixer


Center distance of water inlet: 150mm
External thread: G1/2
Center distance of water outlet: 350mm




3622-050/1C3-I011
Shower set

Center distance of water inlet: 150mm
External thread: G1/2
Diameter of decorative cover: 60mm
Vertical distance between inlet and the top: 1068mm
Vertical distance between water inlet and mounting base: 805mm
Vertical distance between inlet and raincan: 910mm
Center distance of wall and raincan central point: 436mm








32264-326/1A-Z
Basin faucet
Total height: 175mm
Height of outlet hole: 109mm
Distance from water outlet center to body: 161mm




32335-551/1B-Z
Basin faucet
Total height: 216mm
Height of outlet hole: 151mm
Distance from water outlet center to body: 160mm




32305-456/1B-Z
Basin faucet
Total height: 165mm
Height of outlet hole: 105mm
Distance from water outlet center to body: 130mm




32299-123/1B-Z
Basin faucet
Total height: 265mm
Height of outlet hole: 227mm
Distance from water outlet center to body: 122mm





32334-772/1B-Z
Basin faucet
Total height: 177.5mm
Height of outlet hole: 86.4mm
Distance from water outlet center to body: 129.6mm



32112-093/1B1-Z
lavatory faucet
Total height: 214mm
Height of outlet hole: 188mm
Distance from water outlet center to body: 137mm




32278-381/3A-Z
lavatory faucet
Total height: 303.9mm
Height of outlet hole: 159mm
Distance from water outlet center to body: 145mm




32261-123/1B-Z
Basin faucet
Total height: 228mm
Height of outlet hole: 163mm
Distance from water outlet center to body: 116mm






32251-277/1B-Z
lavatory faucet

Total height: 182mm
Height of outlet hole: 102mm
Distance from water outlet center to body: 130mm




3217-107/1C2-Z
lavatory faucet

Total height: 205mm
Height of outlet hole: 67mm
Distance from water outlet center to body: 115mm




32252-277/1B-Z
lavatory faucet

Total height: 341mm
Height of outlet hole: 262mm
Distance from water outlet center to body: 130mm




3105-004/1C-I011
Bidet faucet

Height of outlet hole: 56mm
Distance from water outlet center to body: 120.6mm
Total height: 156.5mm




32223-243/1B-I011
lavatory faucet

Total height: 264mm
Height of outlet hole: 136mm
Distance from water outlet center to body: 110mm




3224-004/1B-I011
lavatory faucet

Total height: 159mm
Height of outlet hole: 49mm
Distance from water outlet center to body: 98mm



32224-243/1B-I011
lavatory faucet


Total height: 341mm
Height of outlet hole: 216mm
Distance from water outlet center to body: 130mm



3107-055/1B-I011
Bidet faucet


Height of outlet hole: 95mm
Distance from water outlet center to body: 128mm
Total height: 160mm






3278-055/1B1-I011
lavatory faucet

Total height: 160mm
Height of outlet hole: 70mm
Distance from water outlet center to body: 97mm




32262-322/1B-Z
lavatory faucet

Total height: 233mm
Height of outlet hole: 123mm
Distance from water outlet center to body: 135mm




22043-323/1B-Z
Basin mixer

Height of outlet hole: 153mm
Distance from water outlet center to body: 141mm
Installation hole spacing: 200mm
Total height: 202mm




22027-201/1A1-Z
Basin mixer

Height of outlet hole: 106.5mm
Distance from water outlet center to body: 126mm
Installation hole spacing: 200mm
Total height: 167.5mm




22032-201/1B1-Z
Double-handle wall-mounted lavatory faucet

Distance from water outlet center to body: 180mm
Installation hole spacing: 200mm




22030-231/1B-I011
Basin mixer

Center distance of water inlet: 210mm
Distance from water outlet center to body: 143mm
Height of outlet hole: 118mm
Total Height: 194mm



2203-249/1C1-Z
Basin mixer


Height of outlet hole: 138.5mm
Distance from water outlet center to body: 150mm
Installation hole spacing: 102mm
Total height: 230mm



35272-055/1B-I011
Bath and shower mixer


Center distance of water inlet: 150mm
Distance from shower outlet to wall: 109mm
Distance from bathtub outlet to wall: 161mm
External thread: G1/2






36386-416/1B-1
Multifunctional shower sprinkler

Center distance of water inlet: 150mm
 External thread: G1/2B
 Vertical distance between inlet and the top: 910-1210mm
 Vertical distance between water inlet and mounting base: 778mm
 Vertical distance between inlet and raincan: 750-1050mm
 Raincan: 8.5 inches
 Handshower: 5 inches





36357-000/1B-I011
Separated shower set

External thread: G1/2
 Vertical distance between connection and the top: 1072mm
 Vertical distance of mounting base: 649±5mm



36383-000/1B-1
Separated shower set


External thread: G1/2
 Shower faceplate: 4.2 Inches
 Shower head: 8 Inches





S134013-2B01-1
Dance water hand shower

258*125*64mm







S134013-2B01-3
Dance water shower with wall-bracket
258*125*64mm




S120013-2B01-4
LED shower with slide bar
Faceplate: 5 inches
Hose: 1.5m
Slide bar: 770mm




S134013-2B01-4
Dance water shower with slide bar
258*125*64mm




S171015-2B02-1
Hand shower
Shower faceplate: 5 Inches




S120013-2B01-2
LED hand shower
Faceplate: 5 inches



S171015-2B02-3
Hand shower
Shower faceplate: 5 Inches
Hose length: 1.5m




S120013-2B01-3
LED shower with wall-bracket
Faceplate: 5 inches
Hose: 1.5m




S171015-2B02-2
Hand shower
Shower faceplate: 5 Inches
Hose length: 1.5m
Slide bar length: 662mm






S105013-2B02-I011
Hand shower

Shower faceplate: 4 Inches




S02015-2C11-2
Five-function hand shower

Outlet faceplate: 3.5Inches




S02015-2C11-1
Five-function hand shower with wall-bracket

Outlet faceplate: 3.5Inches
Hose length: 1.5m




S82023-2B01-I011
Three-function hand shower

Shower faceplate: 3Inches




S82023-2C01-2
Three-function hand shower with wall-bracket

Shower faceplate: 3Inches
Hose length: 1.5m




S82023-2C01-1
Function hand shower with slide bar

Shower faceplate: 3Inches
Hose length: 1.5m
Slider bar length: 650mm



S130011-2B01-1
Hand shower

Shower faceplate: 3.2Inches




S130011-2B01-2
Single function hand shower with wall-bracket

Shower faceplate: 3.2Inches







S15085-2B02-8
Five-function hand shower with wall-bracket bracket
Faceplate: 4 inches
External thread: G1/2




S135013-2B01-2
Multifunctional shower
Shower faceplate: 4 inches
External thread: G1/2




S32015-2B01-3
Five-function hand shower with wall-bracket
Faceplate: 5 inches
External thread: G1/2




G108021-6A01-1
Shower head
Shower faceplate: 10Inches




G107021-6A01-1
Shower head
Shower faceplate: 10*10Inches



G118023-2B01-1
Dance water shower head
Shower faceplate: 350*230




G157021-2B01-1
Shower head
Shower faceplate: 9 Inches




G04031-2B02-I011
Shower head
Shower faceplate: 8Inches





G06031-2B02-I011
Shower head

Shower faceplate: 9 Inches




G22011-2B01-I011
Shower head

Shower faceplate: 9x9Inches




G01031-2B04-I011
Shower head

Shower faceplate: 3 Inches




G03015-2B05-I011
Shower head

Faceplate: 4 inches




G29031-2B01-2
Head shower

Shower faceplate: 6 Inches
Internal Thread: G1/2





T1411-2B01-1
Slide bar

Distance between holes: 600mm
Diameter: 22mm





37237-000/1B-1
Shower arm

Decorative cover: $\Phi 60$ mm
Distance from outlet to wall: 420mm
External thread: G1/2B





37244-000/1B-1
Inlet connector

Decorative cover: $\Phi 60$ mm
External thread: G1/2





37238-000/1B-1
Shower arm

Decorative cover: $\Phi 60$ mm
Distance from outlet to wall: 238mm
External thread: G1/2B





Q19-2B01-4
Shower wall seat

Wall seat: 55*36mm





37243-000/1B-1
Shower arm

Decorative cover: $\Phi 60$ mm
Distance from outlet to wall: 110mm
External thread: G1/2B






37196-495/1B-I011
Shower wall seat

Single-way outlet
Decorative panel: $\Phi 150 \times 6.5$ mm



37245-000/1B-1
Inlet connector


Decorative cover: 70mm
External thread: G1/2




37197-495/1B-I011
Shower wall seat

Two-way outlet
Decorative panel: $\Phi 150 \times 7$ mm







7809-547/1C-I011
 Concealed single water pavement
 Thread: G1/2
 DN: 15mm




75012-541/1C-I011
 Concealed single water pavement
 DN: 15mm




37185-239/1B-1
 Concealed single water pavement
 External thread: G1/2
 Decorative panel diameter: ϕ 150mm




37186-239/1B-1
 Concealed two way water pavement
 External thread: G1/2
 Decorative panel diameter: ϕ 150mm




37187-239/1B-1
 Concealed three way water pavement
 External thread: G1/2
 Decorative panel diameter: ϕ 150mm




37182-222/1B-1
 Concealed single water pavement
 External thread: G1/2
 Decorative panel: 180x140mm



37183-222/1B-1
 Concealed two way water pavement
 External thread: G1/2
 Decorative panel: 180x140mm





37184-222/1B-1
 Concealed three way water pavement
 External thread: G1/2
 Decorative panel: 180x140mm





37246-482/1B-I011
Concealed single water pavement

Single-way outlet
Decorative panel: 180*140*10





37247-482/1B-I011
Concealed two way water pavement

Two-way outlet
Decorative panel: 180*140*10





37248-482/1B-I011
Concealed three way water pavement

Three-way outlet
Decorative panel: 180*140*10





37194-000/1B-1
Concealed single-channel spool

External thread: G1/2





37195-000/1B-1
Concealed two-channel spool

External thread: G1/2





37202-000/1B-1
Concealed single-channel spool

External thread: G1/2




37203-000/1B-1
Concealed two-channel spool


External thread: G1/2
Center distance: 75



37204-000/1B-1
Concealed three-channel spool


External thread: G1/2
Center distance: 75






37116-000/1B-I011
Bathtub spout

External thread: G1/2
Spout Diameter: \varnothing 28mm
Distance from outlet to wall: 180mm




37102-000/1B-I011
Bathtub spout

Internal Thread: G3/4, G1/2
Distance from outlet to wall: 153mm



37151-000/1B-1
Bathtub spout

External thread: G1/2B
Decorative faceplate Decorative faceplate diameter: \varnothing 70mm
Distance from outlet to wall: 153mm



37046-000/1B-I011
Bathtub spout

Internal Thread: G3/4, G1/2
Distance from outlet to wall: 175mm



Single outlet
37202-000

Double outlets
37203-000

Three outlets
37204-000

Cartridge diameter: 40mm


		
37185-239	37182-222	37246-482
		
37186-239	37183-222	37247-482
		
37187-239	37184-222	37248-482

Single outlet
37194-000/1B-1 37196-495/1B-1011


Double outlets
37195-000/1B-1 37197-495/1B-1011





Cartridge diameter: 35mm

Cartridge













Outlet spout















			
37116-000	37102-000	37046-000	37151-000

Shower head & shower arm

			
G04031-2B02-I011	G06031-2B02-Z011	G22011-2B01-Z011	G157021-2B01-1
			
G108021-6A01-1	G107021-6A01-1	G118023-2B01-1	G21011-2B01-4
			
37237-000/1B-1	37238-000/1B-1		

Hand shower & wall outlet


				
37244-000	37245-000			
				
S130011-2B01-2	S82023-2C01-2	S02015-2C11-1	S24095-2B01-2	S148013-2B01-I011
				
S171015-2B02-1	S145025-2B02-1	S134013-2B01-3	S120013-2B01-3	S105013-2B02-I011

Other matching


			
G29031-2B01-2	H2101-150	H3D30	Q19
			
S15085	S135013	S32015	T1411




33132-408/7B-Z
Vertical kitchen faucet
 total height: 427mm
 height of outlet hole: 234mm
 distance from water outlet center to body: 230mm



33080-229/1B1-Z
Vertical kitchen faucet
 total height: 358mm
 height of outlet hole: 250mm
 distance from water outlet center to body: 174mm




33301-123/1B1-Z
Vertical kitchen faucet
 total height: 389mm
 height of outlet hole: 262mm
 distance from water outlet center to body: 227mm




2401-255/1C1-Z
Kitchen faucet
 Height of water outlet: 157mm
 Distance from water outlet center to body: 136mm
 Total Height: 243mm






33138-123/1B-Z
Vertical kitchen faucet

Height of outlet hole: 237mm
Distance from water Outlet center to body: 232mm
Total height: 435mm




3336-146/1B1-Z
Vertical kitchen faucet

Height of outlet hole: 253mm
Distance from water outlet center to body: 222mm
Total Height: 377mm




23009-231/1B-I011
Vertical kitchen faucet

Height of outlet hole: 164.5mm
Distance from water outlet center to body: 166.5mm
Total height: 301.5mm
External thread: G1/2



33080-473/1B-I01Z
Vertical kitchen faucet


Height of outlet hole: 229mm
Distance from water outlet center to body: 198mm
Total height: 300mm
thread: M32*1.5



3333-476/1B-Z
Vertical kitchen faucet


Height of outlet hole: 209mm
Distance from water outlet center to body: 202mm
Total Height: 333mm






06073-8Z-I011
Stainless steel sink

Product specification:
710*460*220(1.0 mm)
Install hole size: 685*435*4 - R30




06108-7Z-4
Stainless steel sink

760*430*200mm(thickness: 0.7mm)
install hole size: 740*410-4-R25



0617-8Z-I011
Stainless steel sink


748*435*195(thickness: 1.0mm)
Install hole size: 718*405*4-R30



06116-7Z-2
Stainless steel sink


$\varnothing 410 \times 180$ mm
Install hole size: 410mm






06117-7Z-2
Stainless steel sink

525*375*200mm
Install hole size: 510*360-R20mm




06118-7Z-2
Stainless steel sink

700*400*196mm
Install hole size: 680*380-R20mm




76027-543/1C-I011
Cold-only basin faucet

total height: 169mm
height of outlet hole: 69mm
distance from water outlet center to body: 91mm




76026-500/1C-I011
Cold-only basin faucet

total height: 215.7mm
height of outlet hole: 88.8mm
distance from water outlet center to body: 93.2mm




76021-388/1C-I011
Cold-only basin faucet

Height of outlet hole: 100mm
Center distance of water outlet: 95mm
Total height: 212mm
Outlet thread: G1 /2




7805-388/1C-I011
Cold-only basin faucet

Center distance of water outlet: 124mm
Outlet thread: G1 /2



76024-389/1C-I011
Cold-only basin faucet


Height of outlet hole: 80mm
Center distance of water outlet: 95mm
Total height: 208mm
Outlet thread: G1 /2



7804-389/1C-I011
Cold-only basin faucet


cartridge: M18X1.5
Outlet thread: G1/2
Installation thread: G1/2






76016-080/1C-I011
Cold-only basin faucet

Height of outlet hole: 90mm
Center distance of water outlet: 102mm
Total height: 139mm
Outlet thread: G1/2




32131-106/1C-I011
Cold-only basin faucet

Center distance of water outlet: 105mm
Height of outlet hole: 91mm
Total height: 152mm
External thread: G1/2



32130-106/1C-I011
Cold-only basin faucet


total height: 210mm
height of outlet hole: 170mm
distance from water outlet center to body: 105mm




32221-234/1B-I011
Cold-only basin faucet

Outlet distance: 115
Height of outlet hole: 65
Total height: 185
Bottom: $\phi 51$
Connection thread: M32X1.5







33055-231/1B-I011
Cold-only basin faucet
total height: 301.5mm
height of outlet hole: 164.5mm
distance from water outlet center to body: 166.5mm




32217-231/1B-I011
Cold-only basin faucet
Height of outlet hole: 154mm
Center distance of water outlet: 140mm
Total height: 227.5mm




34005-231/1B-I011
Cold-only basin faucet
Center distance of water outlet: 212mm
Total height: 222mm
Outlet thread: G1/2




76017-346/1C-1
Cold-only basin faucet
Height of outlet hole: 81mm
Center distance of water outlet: 119mm
Total height: 128mm
Inlet thread: G1/2




32218-232/1B-I011
Cold-only basin faucet
Height of outlet hole: 116mm
Center distance of water outlet: 109mm
Total height: 202mm
Inlet thread: G1/2



7611-016/1C-I011
Cold-only basin faucet
Height of outlet hole: 65mm
Center distance of water outlet: 93mm
Total height: 114mm
Inlet thread: G1/2




32219-232/1B-I011
Cold-only basin faucet
Height of outlet hole: 245mm
Center distance of water outlet: 129mm
Total height: 332mm
Inlet thread: G1/2




76022-182/1C-I011
Cold-only basin faucet
Height of outlet hole: 70mm
Center distance of water outlet: 90mm
Total height: 217mm
Inlet thread: G1/2






76023-238/1C-I011
Cold-only basin faucet

Height of outlet hole: 65mm
Center distance of water outlet: 100mm
Total height: 107mm
Inlet thread: G1/2




7701-238/1C-I011
Cold-only basin faucet

Height of outlet hole: 196mm
Center distance of water outlet: 136mm
Total height: 253mm
Inlet thread: G1/2




7707-078/1C-I011
Cold-only kitchen faucet

Inlet thread: G1/2
Height of outlet hole: 210mm
Distance from water outlet center to body: 193mm
Total height: 333mm




7703-238/1C-I011
Cold-only basin faucet

Height of outlet hole: 156mm
Center distance of water outlet: 136mm
Total height: 213mm
Inlet thread: G1/2




7713-078/1C2-I011
Cold-only basin faucet

Inlet thread: G1/2
Height of outlet hole: 225mm
Distance from water outlet center to body: 160mm
Total height: 350mm




7703-183/1C2-I011
Single-handle faucet

Height of outlet hole: 156mm
Center distance of water outlet: 136mm
Total height: 213mm
Inlet thread: G1/2



77015-183/1C-I011
Cold-only basin faucet

Height of outlet hole: 196mm
Center distance of water outlet: 136mm
Total height: 253mm
Inlet thread: G1/2



7714-183/1C-I011
Single-handle faucet

Height of outlet hole: 46mm
Center distance of water outlet: 168mm
Total height: 99mm
Inlet thread: G1/2"





7101-238/1C-I011
Quick-open faucet

Inlet thread: G1/2
Total length: 97mm
Distance between wall & outlet: 85mm
Total height: 81mm



7103-238/1C1-I011
Quick-open faucet

Inlet thread: G3/4
Total length: 88mm
Distance between wall & outlet: 73mm
Total height: 84mm



7104-238/1C1-I011
Quick-open faucet

Inlet thread: G1/2
Total length: 114mm
Distance between wall & outlet: 102mm
Total height: 81mm



7301-238/1C1-I011
Quick-open faucet

Inlet thread: G1/2
OD of flange: $\phi 50$
Distance between wall & outlet: 63



7203-238/1C1-I011
Quick-open washing machine faucet

Inlet thread: G1/2
Total length: 82mm
Distance between wall & outlet: 69mm
Total height: 111mm



7801-049/1C-I011
Quick-open faucet

Inlet thread: G1/2
Total length: 123mm
Distance between wall & outlet: 111mm
Total height: 81mm
Distance between connector & outlet: 75mm
Connect pipe for washing machine: $\Phi 15.5$



7116-183/1C-I011
Quick-open faucet

Inlet thread: G1/2



7104-183/1C-I012
Quick-open faucet

Inlet thread: G1/2





7212-183/1C-I011
Quick-open washing machine faucet
Inlet thread: G1/2



7801-183/1C-I011
Quick-open faucet
Inlet thread: G1/2



7413-019/1C-I011
Quick-open cold-only valve
Inlet thread: G1/2



4413-019/1C-I011
Quick-open hot-only valve
Inlet thread: G1/2



7411-156/1C-I011
Quick-open cold-only valve
Inlet thread: G1/2




4411-156/1C-I011
Quick-open hot-only valve
Inlet thread: G1/2



74049-192/1C-I011
All use angle valve
Inlet/Outlet thread: G1/2



7507-016/1C1-I011
Cold-only straightway valve
Inlet thread: G1/2
Outlet thread: G1/2



7506-016/1C1-I011
Cold-only straightway valve
Inlet thread: G3/4
Outlet thread: G3/4



7505-016/1C1-I011
Cold-only straightway valve
Inlet thread: G1
Outlet thread: G1





935412-1B-I011
Towel rack
630*240*140mm
Material: stainless steel



935411-1B-I011
Toilet brush holder
135*135*320mm
Material: stainless steel



935408-1B-I011
Single bar
635*90*65mm
Material: stainless steel



935410-1B-I011
Dresser
150*55*575mm
Material: stainless steel



935413-1B-I011
Double-bar
80*60*395mm
Material: stainless steel



935406-1B-I011
Towel ring
205*205*60mm
Material: stainless steel



935414-1B-I011
Hook
180*95*65mm
Material: stainless steel



935407-1B-I011
Tissue holder
135*80*165mm
Material: stainless steel



935405-1B-I011
Soap dish
135*58*200mm
Material: stainless steel



935402-1B-I011
Single cup
75*75*100mm
Material: stainless steel



935401-1B-I011
Hook

90*55*75mm
Material: stainless steel



935012-PB-1
Towel rack

630*230*100mm
Material: stainless steel




937808-1B-I011
Single bar

646*56*75mm
Material: stainless steel



937807-1B-I011
Tissue holder

102*170*75mm
Material: stainless steel



935009-PB-1
Double-bar

655*130*65mm
Material: stainless steel



935008-PB-1
Single bar

655*90*65mm
Material: stainless steel



937806-1B-I011
Towel ring

190*213*75.4mm
Material: stainless steel



937805-1B-I011
Soap dish

188.5*56*111.8mm
Material: stainless steel



935007-PB-1
Tissue holder

135*80*165mm
Material: stainless steel




935011-PB-1
Toilet brush holder

135*135*320mm
Material: stainless steel




937802-1B-I011
Single cup

129.4*101*95mm
Material: stainless steel



937801-1B-I011
Hook

79*106*81mm
Material: stainless steel



937812-1B-I011
Towel rack

646*214*103mm
Material: stainless steel



937811-1B-I011
Toilet brush holder

160*117*346mm
Material: stainless steel



930412-1A-I012
Towel rack

600*220*100mm
Material: copper alloy



930411-1A-I012
Toilet brush holder

101*140*345mm
Material: copper alloy





930409-1A-I012
Double-bar
600*120*35mm
Material: copper alloy



930408-1A-I012
Single bar
600*68*35mm
Material: copper alloy



930407-1A-I012
Tissue holder
194*73*35mm
Material: copper alloy



930406-1A-I012
Tissue holder
272*68*35mm
Material: copper alloy



930404-1B-I011
Soap dish
117*134*103mm
Material: copper alloy



930402-1B-I011
Single cup
66*109*162mm
Material: copper alloy



930401-1A-I012
Hook
98*50*35mm
Material: copper alloy



930312-1B-I012
Towel rack
600*265*124mm
Material: stainless steel



930311-1B-I012
Toilet brush holder
101*344*153mm
Material: stainless steel



930309-1B-I012
Double-bar
600*82*136mm
Material: stainless steel



930308-1B-I012
Single bar
600*95*82mm
Material: stainless steel



930307-1B-I012
Tissue holder
228*55*85mm
Material: stainless steel



930306-1B-I012
Towel ring
216*100*87mm
Material: stainless steel



930304-1B-I011
Soap dish
144*107*99mm
Material: stainless steel



930302-1B-I011
Single cup
125*68*144mm
Material: stainless steel



930301-1B-I012
Hook
80*85*69mm
Material: stainless steel






932001-1B-I011
Hook
20*62.5*50mm
Material: zinc alloy



932002-1B-I011
Single cup
106*95*95mm
Material: zinc alloy



932004-1B-I011
Soap dish
128*116*50mm
Material: zinc alloy



932007-1B-I011
Tissue holder
145*62.5*30mm
Material: zinc alloy



932011-1B-I011
Stainless steel Toilet brush holder
120*144*340mm
Material: zinc alloy



932008-1B-I011
Single bar
595*62.5*30mm
Material: zinc alloy



932015-1B-I011
Double-bar
117*400*30mm
Material: zinc alloy



932010-1B-I011
Dresser
520*130*45mm
Material: zinc alloy





934801-1D-I011
Hook
93*64*50mm
Material: zinc alloy



934802-1D-I011
Single cup
120*68*103mm
Material: zinc alloy



934803-1D-I011
Double cups
159*123*103mm
Material: zinc alloy



934805-1D-I011
Soap dish
120*116*48mm
Material: zinc alloy



934806-1D-I011
Towel ring
204*97*65mm
Material: zinc alloy



934807-1D-I011
Tissue holder
150*121*75mm
Material: zinc alloy



934808-1D-I011
Single bar
608*68*54mm
Material: zinc alloy



934809-1D-I011
Double-bar
608*118*54mm
Material: zinc alloy



934811-1D-I011
Toilet brush holder
114*152*400mm
Material: zinc alloy



934812-1D-I011
Towel rack
595*207*83mm
Material: zinc alloy



939426-1B-I011
Six-piece Accessory
hook: 70*56*50mm
single cup-holder: 109*97*96mm
soap holder: 128*117*53mm
towel ring: 196*64*160mm
paper holder: 150*61*130mm
single pole: 624*69*50mm
Material: zinc alloy



933613-1D-I011
Movable towel rack
610*240*163mm
Material: zinc alloy



933612-1D-I011
Towel rack
609*228*139mm
Material: zinc alloy



933611-1D-I011
Stainless steel Toilet brush holder
146*119*355mm
Material: zinc alloy



933610-1D-I011
Dresser
530*153*56mm
Material: zinc alloy



933609-1D-I011
Double-bar
624*123*50mm
Material: zinc alloy





933608-1D-I011
Single bar
624*69*50mm
Material: zinc alloy



933607-1D-I011
Tissue holder
150*61*130mm
Material: zinc alloy



933606-1D-I011
Towel ring
196*64*160mm
Material: zinc alloy



933605-1D-I011
Soap dish
157*127*52mm
Material: zinc alloy



933604-1D-I011
Soap dish
128*117*53mm
Material: zinc alloy



933603-1D-I011
Double cups
200*97*96mm
Material: zinc alloy



933602-1D-I011
Single cup
109*97*96mm
Material: zinc alloy



933601-1D-I011
Hook
70*56*50mm
Material: zinc alloy



939811-7Z-1
Toilet brush holder
152*116*355mm
Material: aluminum alloy



939812-7Z-1
Towel rack
660*202*130mm
Material: aluminum alloy



939808-7Z-1
Aluminium Single bar
660*60*77mm
Material: aluminum alloy



939809-7Z-1
Double bar
660*82*138mm
Material: aluminum alloy



939806-7Z-I011
Towel ring
250*144.2*80.9mm
Material: aluminum alloy



939807-7Z-I011
Tissue holder
144.4*150*110mm
Material: aluminum alloy



939802-7Z-I011
Single cup
117*70*101.5mm
Material: aluminum alloy



939805-7Z-I011
Soap dish
138.8*133*60 mm
Material: aluminum alloy





936801-1D-I011
Robe hook

50*51*67mm
Material: copper alloy



936803-1D-I011
Double cup

204*107*96mm
Material: copper alloy



936811-1D-I011
Toilet brush

130*176*340mm
Material: copper alloy



936812-1D-I011
Towel rack

640*226*116mm
Material: copper alloy



936804-1D-I011
soap dish

157*125*50mm
Material: copper alloy



936806-1D-I011
Towel ring

261*170*64mm
Material: copper alloy



936807-1D-I011
Toilet tissue holder

175*66*173mm
Material: copper alloy



936808-1D-I011
Towel bar

640*81*50mm
Material: copper alloy



936809-1D-I011
Double towel bar

640*131*50mm
Material: copper alloy



936810-1D-I011
Glass shelf

600*130*63mm
Material: copper alloy





934612-1D-I011
Movable towel rack
616*260*150mm



939801-7Z-I011
Hook
60*60*65mm




937210-1B-I011
Multi-function movable clothes hook
94*90*50mm



938704-1D-I011
4-row hook
280*50*75mm



934114-1D-I011
Double-deck corner bracket
250*250*326mm



934115-1D-I011
Single-layer corner holder
250*250*53mm



938703-1D-I011
3-row hook
200*50*75mm



938706-1D-I011
6-row hook
440*50*75mm



939070-1C-1
Corner basket
φ143*129.5±2mm



937121-1D-1
Corner basket
200*200*137.5mm



938705-1D-I011
5-row hook
360*50*75mm



939002-AD-I011
Concealed roll tissue holder
60*300*158mm



937011-1D-1
Corner basket
200*200*405mm



939507-1B-1
Tissue holder
180*120*92mm



939001-AD-I011
Concealed roll tissue holder
60*158*158mm





935601-1D-I011
Wall-hung cosmetic mirror
420*97*307mm



939016-00-I011
Large roll tissue box
270*280*125mm



939012-00-I011
Tissue box
120*147*150mm



939003-AD-I011
Roll tissue holder
125*100*100mm



939005-AD-I011
Roll tissue holder
100*118*125mm



939006-AD-I011
Roll tissue holder
128*124*120mm



939072-AB-I011
Safe handrail
Total length of pipe 32mm
Center distance 304.8mm
Thickness 1.0mm



939073-AB-I011
Safe handrail
Total length of pipe 32mm
Center distance 457.2mm
Thickness 1.0mm



939074-AB-I011
Safe handrail
Total length of pipe 32mm
length 609.6mm
Thickness 1.0mm



939076-AB-I011
Safe handrail
Total length of pipe 32mm
length 457.2
Thickness 1.0mm



939075-AB-I011
Safe handrail
Total length of pipe 32mm
Center distance 304.8mm
Thickness 1.0mm




939077-AB-I011
Safe handrail
Total length of pipe 32mm
Center distance 609.6
Thickness 1.0mm



939079-AB-I011
Safe handrail
length 762+762mm
Total length of pipe 32mm
Thickness 1.0mm



939078-AB-I011
Safe handrail
length 406+406mm
Total length of pipe 32mm
Thickness 1.0mm



939080-AB-I011
Safe handrail
Length 812.8mm Width 190mm
Total length of pipe 32mm Thickness 1.0mm
Base length 300mm Base width 100mm
Thickness 3.0mm



939025-1B-2
Urinal handrail
volume 600*600*350mm
Total length of pipe \varnothing 32mm





939026-1B-2
Basin handrail
600*600*200mm
Total length of pipe φ32mm



9210-1C1-I012
Floor drainer for wash machine
100*100mm
Material: stainless steel



92172-1B-1
Floor drainer for dry area
100*100mm
Material: copper alloy



92171-1B-1
Floor drainer for dry area
100*100mm
Material: copper alloy



9205-1C1-I013
Floor drainer for dry area
100*100mm
Material: stainless steel



92270-7B-1
Floor drainer for dry area
100*100mm
Material: stainless steel



92162-7B-I011
Floor drainer for dry area
150*150mm
Material: stainless steel



92173-1B-1
Floor drainer for humid area
100*100mm
Material: copper alloy



92269-7B-1
Floor drainer for wash machine
100*100mm
Material: stainless steel



92130-1C-1
Floor drainer for dry area
100*100mm
Material: copper alloy



92163-7B-I011
Floor drainer for humid area
150*150mm
Material: copper alloy



92161-7B-I011
Floor drainer for dry area
120*120mm
Material: stainless steel



92152-1B1-1
Floor drainer for dry area
100*100mm
Material: copper alloy



92131-1C-1
Floor drainer for wash machine
100*100mm
Material: copper alloy



9244-1C1-I011
Floor drainer for humid area
120*120mm
Material: copper alloy



92243-00-1
Floor drainer for dry area
100*100mm
Material: ceramic





92175-1A-1
Floor drainer for humid area
90*200mm
Material: copper alloy



92174-1A-1
Floor drainer for humid area
90*150mm
Material: copper alloy




92176-1A-1
Floor drainer for humid area
90*300mm
Material: copper alloy



92177-7A-1
Floor drainer for humid area
90*300mm
Material: stainless steel




91108-00-1
Drain connector with washing machine (Double)
115*96mm



92179-7A-1
Floor drainer for humid area
90*900mm
Material: stainless steel



91109-00-1
Drain connector with washing machine (Single)
86*86mm



92178-7A-1
Floor drainer for humid area
90*600mm
Material: stainless steel



H5388-040101C-1
Plastic coated braided hose
φ15*400mm
thread: G1/2



H5388-060101C-1
Plastic coated braided hose
φ15*600mm
thread: G1/2



H5388-080101C-1
Plastic coated braided hose
φ15*800mm
thread: G1/2



H52AG-060101C-1
Plastic coated braided hose
φ15*600mm
thread: G1/2



H52AG-050101C-1
Plastic coated braided hose
φ15*500mm
thread: G1/2



H52AG-080101C-1
Plastic coated braided hose
φ15*800mm
thread: G1/2





S27021-2B01-1
Bidet sprayer
Inlet thread G1/2
Hose length 1.2m
Material: ABS



02303-1C-I011
Bidet sprayer
Inlet thread: G1/2
Hose length: 1.2m
Material: ABS



H2101-120103C-I011
Stainless steel double interlocked shower hose
φ14*1200mm
thread: G1/2



H2101-150703C-I011
Stainless steel double interlocked shower hose
φ14*1500mm
thread: G1/2



H2101-180203B-I011
Stainless steel double interlocked shower hose
φ14*1800mm
thread: G1/2



H3D30-150301C-I011
PVC shower hose
φ14*1500mm
thread: G1/2



91100-1C-1
Turnover drainer
Ø61*32mm



91102-1C-I011
Turnover drainer
Ø61*85mm
Installation aperture: Ø44mm
External thread: G1'1/4



91103-1B-1
Pop-up drainer
Diameter of pipe: Ø32mm
Total length of pipe: 180mm



91104-1B-1
Turnover drainer
Diameter of pipe: Ø32mm
Total length of pipe: 180mm



91171-1B-1
Hole-spill drainer
Diameter of pipe: Ø32mm
Total length of pipe: 180mm



91084-1B-1
Pop-up drainer
Ø68mmX190mm





91168-1B-1
Turnover drainer
Pipe diameter: Ø32mm
Pipe length: 203mm



91169-1B-1
Turnover drainer
Pipe diameter: Ø32mm
Pipe length: 203mm



9135-1C1-I011
Lifting basin drain
Pipe diameter: Ø32mm
Pipe length: 203mm



9158-1C-I011
Mop basin drainer
Thread body: G2'
Total length: 80mm



9B111-00B-JM01
Mop basin drainer
outlet 32mm



9B621-010-JM01
Drain pipe for basin
φ32*800mm
Material: pp



X9B628-000-1
Flexible drain pipe for mob basin
Pipe diameter: Ø32mm
Pipe length: 450mm
Material: pp



X9B630-000-1
Flexible drain pipe for basin
Pipe diameter: Ø32mm
Pipe length: 800mm
Material: pp



H6600-080121C-I011
Drain pipe for basin
Pipe diameter: φ40mm
Pipe length: 360~800mm
Material: pp



H6100-085103C-I011
Drain pipe for basin
Pipe diameter: φ32mm
Pipe length: 850mm
Material: stainless steel



H6200-080103C-I011
Drain pipe for basin
Pipe diameter: Ø32mm
Pipe length: 800mm
Material: stainless steel



9121-1C-I011
Drain pipe short for basin
Pipe diameter: Ø32mm
Distance between wall & inlet: 240mm
Material: copper alloy




9120-1C1-I011
Drain pipe long for basin
Pipe diameter: Ø32mm
Distance between wall & inlet: 310mm
Material: copper alloy



9107-1C-I011
Urinal drain pipe
Pipe diameter: Ø32mm
OD of flange: Ø65mm
Distance between wall & inlet: 240mm
Material: copper alloy



9106-1C1-I011
Urinal drain pipe
Pipe diameter: Ø32mm
OD of flange: Ø65mm
Height: 508mm
Center distance of inlet & outlet: 160mm
Material: copper alloy




9B632-010-I011
Drain pipe for basin
Pipe diameter: Ø32mm
Distance between wall & inlet: 240mm
Material: pp






91112-1B-I011
Drain pipe for basin
Pipe diameter: ϕ 32mm
Distance between wall & inlet: 328mm
Material: stainless steel




91092-1C-I011
Bath tub drainer
700mmX ϕ 32
Inlet thread: G1/2
Material: stainless steel



9B628-010-JM01
Urinal drain pipe
Pipe diameter: ϕ 51.2mm
Pipe length: 600mm
Material: pp



9B310-100-JM01
drainage pipe for toilet
(p-trap transform to s-trap)
360mm*125mm*370mm
Material: pp



9B310-200-JM01
drainage pipe for toilet
(s-trap)
360mm*125mm*370mm
Material: pp



9801-00-1
Screwed pipe joint
Inlet thread: G1/2
Outlet thread: G3/4



9802-00-1
Screwed pipe joint
Inlet thread: G1/2
Outlet thread: G1/2



9803-00-1
Screwed pipe joint
Inlet thread: G1/2



9805-00-1
Screwed pipe joint
Thread: G1/2



9804-00-1
Screwed pipe joint
thread: G1/2



9137-1C2-I011
Stainless steel flushing pipe for squatting toilet
Pipe diameter: ϕ 32mm
Height: 1200mm
Width: 300mm



9137-1C1-I011
Stainless steel flushing pipe for squatting toilet
Pipe diameter: ϕ 32mm
Height: 800mm
Width: 250mm




9138-1C-1
Pedal stainless steel flushing pipe
Pipe diameter: ϕ 32mm
Height: 300mm
Width: 250mm



9201L-1C-I011
Urinal fittings
Thread: G2




04001-00-1
PTFE tape
22mm*0.1mm*20m



04002-00-1
PTFE tape
22mm*0.1mm*10m




Intelligence Toilet




- Giugiaro Design
- Dual Turbo Flushing
- Dipole Filtering
- UF Toilet Cover
- Children Cleaning
- Side Panel Remote Control
- Warm Drying
- One Button Auto Operation
- Monopole Filtering
- Flowing Water Instant Heating
- Antibiosis Nozzle
- Auto Deodorization
- Universal Fitting Style
- Induction Toilet Seat
- Tsunami Flushing
- Pre-wet Technology
- Ultraviolet Disinfection
- Automatically Open
- Soft Night Lighting
- Slim
- Thermostatic Toilet seat

Ceramics



- Self-Cleaning Glaze
- Classic Style
- Overflow Protection
- Silver Lon Antibacteria
- Ultra-thin
- PP Water Tank
- Concealed Design
- Comfortable Arc Seat
- Quickly Install & Disassemble
- Wide Pipe Diameter
- PP Damping Soft-Close Cover
- Storm Flushing
- UF Damping Soft-Close Cover
- Mute
- Soft Night Lighting
- Dual Vortex Flushing
- The 2nd Generation Self-cleaning Glaze
- Clasp Design
- 3.5/5L
- 3.8/6L
- 4.2/6L

Cabinet




- Rubber Wood + Multi-layer Solid Wood
- Raw Marble Countertop
- Self-Cleaning Glaze
- Stainless Steel Hinge
- Buffering System
- Copper-free Silver Mirror
- Mute Slide
- Sensor Mirror Light
- Contact Control
- Electronic Anti-fog
- Maximize Storage Space
- Double-sided PVC Panel
- On and off by Press
- Artificial Stone

Shower Room




- Chrome plating
- Matte silver
- Brushed silver
- Flanged gold
- Rose gold
- Lucency glass
- Blue glass
- Grey glass
- Coated glass
- Acid etched
- Silk screen
- 6mm
- 8mm
- 10mm

Bathtub



- Water-power massage
- Waterfall massage
- Surrounded edge
- With faucet
- With drainer
- Chrome leg
- With pillow
- Embedded
- Fan-shaped edge
- Stomatal massage


Commercial use



- Self-cleaning glaze
- Save water
- Quickly Install
- Antibacteria Ag+
- Temperature control
- Induction flushing
- With manual flush function
- Photosensitive night light
- 3 optional operation modes
- Automatic on/off
- Double optional air dry
- Security keys
- With stop valve
- Time-lapse auto close Spool
- ABS chrome plated cover
- Over-current and over-heating protection

Hardware

Sinks Faucet
Sinks
Accessories
Floor Drain
Hardware Fitting
Mixers
Shower head
Concealed mixer



- Longevity of service
- Anti-corrosion
- Selected silicon brass
- Antiwind hose
- Air intake
- 360° rotating water
- Adjustable installation height
- Netted spray
- Dechlorinate showerhead
- Ultra-thin and stop immediately
- Great heat resistant
- 3 layers spray
- 5 layers spray
- Health structure
- Hydrodynamic digital readout technology
- Hydrodynamic light
- Patent 5-size diverter
- Hot Proof
- Precise temperature control
- Splash Double Prevented
- 3-way Diverting
- Anti Fingerprint
- Button switching
- Storage tray
- Waltzes spray
- Twincharger technology
- One button scaling
- Scaling by silicone
- Heat & pressure resistance
- Rotatable pipe
- Pull-out technology
- Touch activated
- Anti-condensation
- Safe anti-explosion
- Safe & firm
- Anti-overflow
- Double filter
- Diagonal direct the flow
- Blunt angle
- Anti-blocking & easy-clean
- Deodorization
- Dower water outlet: 90° on-off
- Premium copper
- SUS
- SUS 304
- T-trap large flow
- Flanged gold
- Rose gold
- Chrome plating
- Oil-Rubbed bronze



GIUGIARO DESIGN